

Life Is On

Schneider
Electric



 Price List

Final Distribution, Wiring Devices and Lighting Control Products

With effect from January 27th, 2020

TECHMECHELEC
TECHNICAL MECHANICAL ELECTRICAL



se.com/in

Techmech Electricals
1540-A, Bhagirath Palace, Delhi-06
techmechelec@yahoo.com

www.techmech.yolasite.com

Acti 9 Distribution System	
> Miniature Circuit Breakers (MCBs)	08
> Residual Current Devices (RCDs).	11
> Auxiliaries and Accessories for MCBs/RCDs	14
> Surge Protection Devices (SPDs)	16
> Control and Command Products	18
> ComReady Control and Command Products	20
Enclosures and Plugs & Sockets	
> Modular Distribution Boards - Metallic	26
> Kaedra Enclosures - Weather Proof	30
> PratiKa Plugs & Sockets - IP44 / IP67	32
> Electra Metal Clad Plugs & Sockets	36
> 56 Series Plugs & Sockets - IP56 / IP66	37
Wiring Devices	
> Wiser Odace™ LIGHTING	42
> LIVIA	43
> Clipsal X	44
> Opale	46
> Unica Pure	48
> ZENcelo India	51
> ZENcelo BS	53
> AvatarOn	55
> NEO	61
> ULTI Impress	63
> Kavacha	65
> Metal Boxes	66
Control System	
> EzInstall3 - ULTIZIGBEE	67
> Hotel Series	68
> Easy Homes	70
> Argus	71
> Control and Command Products.	72
> Analog Timers	73

Acti 9 | Advanced Communication Technology that Inspires

> Protection devices

- Miniature circuit breakers
- Residual current circuit breakers
- Vigi™ residual current devices
- Surge Protection Devices

> Protection monitoring and supervision

- Indication and tripping auxiliaries
- Remote control auxiliaries
- Automatic reclosure auxiliaries



Innovative
Protection monitoring Total control and
Metering @ DB level



Efficient
Manage loads, reduce operating and project
costs, and accurately plan maintenance

> Control and monitoring

- Contactors
- Impulse relays
- Integrated control circuit breakers
- Light indicators
- Push-buttons and selector switches
- Kilowatt hour meters
- Communicating architecture

> Installation system

- IP20B terminals
- Splitter blocks
- Full range of mounting and wiring accessories



Reliable

Dual certifications for one product, 100 percent MCB and RCD coordination, easy ordering and design, error free fast connections

Acti 9 | Advanced Communication Technology that Inspires.....

> Innovative

- Centralized control system including energy metering
- Large and variable data reading and computing through universal Modbus protocol

> Efficient

- One-click, prefabricated wiring for comprehensive communication between your distribution board or panel and any facility management system

> Reliable

- Error proof connection leading to reduction in downtime
- EMC tested for immunity, radiated and conducted safety

NEW

Email Notification upon Event (Devices Status Change, Alarm threshold reached etc.)

7 input/output channels

Exclusive From Schneider Electric



Protection monitoring

Load control

- > Status Monitoring - ON / OFF / TRIP
- > Trip Alarm Indication
- > Load Monitoring - No. of tripping cycles, Running Hours


- > Switching Action - ON / OFF
- > Monitoring - No. of Switching cycles, running hours



Meets the challenge of all your applications

Detailed load control, reduced downtime and accurately planned maintenance

Ready to connect to any facility management solution



Green Premium Products

100% Recyclable and Recoverable
REACH, RoHS, PEP, EOL compliant

AC Miniature Circuit Breakers - xC60



- Breaking Capacity as per IEC 60898 and IS/IEC 60898-1, Icn = 10kA
- Breaking Capacity as per IEC 60947-2, Icn = 15kA, upto 40A
- Can be used for DC application upto 60V per pole
- Higher system performance with optimized cost: Cascading*
- Increased System Continuity: Discrimination*
- Higher Installation Life: Energy Limitation Class 3, Fast Closure Mechanism
- Ease, Speed and Flexibility of installation - Biconnect, Line-Load Reversible
- Field-fittable auxiliaries for advance protection and monitoring
- Positive Contact Indication for assurance of disconnection

[In] Rated Current (A)	1 Pole Reference	Unit LP [₹]	2 Pole Reference	Unit LP [₹]	3 Pole Reference	Unit LP [₹]	4 Pole Reference	Unit LP [₹]
Module Width**	1 mod		2 mod		3 mod		4 mod	
MOQ	12 Nos.		6 Nos.		4 Nos.		3 Nos.	

B curve

6	A9N1P06B ✓	330	A9N2P06B ✓	995	A9N3P06B ✓	1628	A9N4P06B	2195
10	A9N1P10B ✓	330	A9N2P10B ✓	995	A9N3P10B ✓	1628	A9N4P10B ✓	2195
16	A9N1P16B ✓	330	A9N2P16B ✓	995	A9N3P16B ✓	1628	A9N4P16B ✓	2195
20	A9N1P20B ✓	330	A9N2P20B ✓	995	A9N3P20B ✓	1628	A9N4P20B ✓	2195
25	A9N1P25B ✓	330	A9N2P25B ✓	995	A9N3P25B ✓	1628	A9N4P25B ✓	2195
32	A9N1P32B ✓	330	A9N2P32B ✓	995	A9N3P32B ✓	1628	A9N4P32B ✓	2195
40	A9N1P40B ✓	729	A9N2P40B ✓	1607	A9N3P40B ✓	2483	A9N4P40B ✓	3161
50	A9N1P50B	729	A9N2P50B	1607	A9N3P50B	2483	A9N4P50B	3161
63	A9N1P63B ✓	735	A9N2P63B ✓	1622	A9N3P63B ✓	2504	A9N4P63B ✓	3192

C curve

1	A9N1P01C ✓	512	A9N2P01C ✓	1386	A9N3P01C ✓	2142	A9N4P01C ✓	2704
2	A9N1P02C ✓	512	A9N2P02C ✓	1386	A9N3P02C ✓	2142	A9N4P02C ✓	2704
3	A9N1P03C ✓	512	A9N2P03C ✓	1386	A9N3P03C ✓	2142	A9N4P03C ✓	2704
4	A9N1P04C ✓	512	A9N2P04C ✓	1386	A9N3P04C ✓	2142	A9N4P04C ✓	2704
6	A9N1P06C ✓	323	A9N2P06C ✓	995	A9N3P06C ✓	1628	A9N4P06C ✓	2195
10	A9N1P10C ✓	323	A9N2P10C ✓	995	A9N3P10C ✓	1628	A9N4P10C ✓	2195
16	A9N1P16C ✓	323	A9N2P16C ✓	995	A9N3P16C ✓	1628	A9N4P16C ✓	2195
20	A9N1P20C ✓	323	A9N2P20C ✓	995	A9N3P20C ✓	1628	A9N4P20C ✓	2195
25	A9N1P25C ✓	323	A9N2P25C ✓	995	A9N3P25C ✓	1628	A9N4P25C ✓	2195
32	A9N1P32C ✓	323	A9N2P32C ✓	995	A9N3P32C ✓	1628	A9N4P32C ✓	2195
40	A9N1P40C ✓	729	A9N2P40C ✓	1607	A9N3P40C ✓	2483	A9N4P40C ✓	3100
50	A9N1P50C	729	A9N2P50C	1607	A9N3P50C	2483	A9N4P50C	3192
63	A9N1P63C ✓	735	A9N2P63C ✓	1622	A9N3P63C ✓	2504	A9N4P63C ✓	3131

D curve

1	A9N1P01D ✓	517	A9N2P01D	1397	A9N3P01D ✓	2184	---	---
2	A9N1P02D ✓	517	A9N2P02D ✓	1397	A9N3P02D ✓	2184	A9N4P02D	2720
3	A9N1P03D ✓	517	A9N2P03D ✓	1397	A9N3P03D ✓	2184	A9N4P03D	2720
4	A9N1P04D ✓	517	A9N2P04D ✓	1397	A9N3P04D ✓	2184	A9N4P04D	2720
6	A9N1P06D ✓	435	A9N2P06D ✓	1044	A9N3P06D ✓	1712	A9N4P06D ✓	2279
10	A9N1P10D ✓	435	A9N2P10D ✓	1044	A9N3P10D ✓	1712	A9N4P10D ✓	2279
16	A9N1P16D ✓	435	A9N2P16D ✓	1044	A9N3P16D ✓	1712	A9N4P16D ✓	2279
20	A9N1P20D ✓	435	A9N2P20D ✓	1044	A9N3P20D ✓	1712	A9N4P20D ✓	2279
25	A9N1P25D ✓	435	A9N2P25D ✓	1044	A9N3P25D ✓	1712	A9N4P25D ✓	2279
32	A9N1P32D ✓	435	A9N2P32D ✓	1044	A9N3P32D ✓	1712	A9N4P32D ✓	2279
40	A9N1P40D ✓	785	A9N2P40D ✓	1701	A9N3P40D ✓	2630	A9N4P40D ✓	3302
50	A9N1P50D	785	A9N2P50D	1701	A9N3P50D	2630	A9N4P50D	3302
63	A9N1P63D	794	A9N2P63D ✓	1717	A9N3P63D ✓	2657	A9N4P63D ✓	3334

Note: * Please contact nearest Schneider Electric Sales Office or Customer Care Center for coordination chart
**18mm/module

Please contact Customer Care Center for Stockable and Non stockable status of references.

✓ NORMAL STOCK ITEMS

W.E.F. January 27th, 2020

AC Miniature Circuit Breakers - C120



- Breaking capacity as per IEC 60898, Icn = 10kA/15kA
- Positive Contact Indication for assurance of disconnection
- Degree of pollution: 3 (suitable for industrial environment)
- Operating Temperature: -30 to 70°C
- Terminal connections: Flexible cables up to 35 sq.mm; Rigid cables up to 50 sq.mm

[In] Rated Current (A)	1 Pole Reference	Unit LP (₹)	2 Pole Reference	Unit LP (₹)	3 Pole Reference	Unit LP (₹)	4 Pole Reference	Unit LP (₹)
Module Width**	1.5 mod		3 mod		4.5 mod		6 mod	
MOQ	12 Nos.		6 Nos.		4 Nos.		3 Nos.	
C120N (10kA)								
80	A9N18357 ✓	2646	A9N18361 ✓	5875	A9N18365 ✓	9251	A9N18372 ✓	12054
100	A9N18358 ✓	2972	A9N18362 ✓	6263	A9N18367 ✓	9860	A9N18374 ✓	12563
125	A9N18359 ✓	3208	A9N18363 ✓	6888	A9N18369 ✓	10936	A9N18376 ✓	14212
C120H (15kA)								
80	A9N18446	3176	A9N18457	7140	A9N18468	10873	A9N18479	13960
100	A9N18447	3502	A9N18458	7319	A9N18469	11844	A9N18480	15476
125	A9N18448	3827	A9N18459	8306	A9N18470	12779	A9N18481	16349

DC Miniature Circuit Breakers - C60H



- Specially designed MCB for enhanced protection in DC installation
- Magnetic Arc Chutes to quick break DC current in event of fault
- Breaking capacity 6kA as per IEC 60947-2
- Voltage Rating: 1P - 250 V DC & 2P - 500 V DC
- Impulse Voltage: 6 kV
- Higher Installation Life: Energy Limiting Class: 3

[In] Rated Current (A)	Module Width 18mm/ module	1 Pole Reference	Unit LP (₹)	Module Width 18mm/ module	2 Pole Reference	Unit LP (₹)
MOQ		12 Nos.			6 Nos.	
C60H-DC						
0.5	1	A9N61500	985	2	A9N61520	2079
1	1	A9N61501 ✓	872	2	A9N61521 ✓	1806
2	1	A9N61502 ✓	872	2	A9N61522 ✓	1806
3	1	A9N61503 ✓	872	2	A9N61523 ✓	1806
4	1	A9N61504 ✓	872	2	A9N61524 ✓	1806
5	1	A9N61505	872	2	A9N61525	1806
6	1	A9N61506 ✓	716	2	A9N61526 ✓	1528
10	1	A9N61508 ✓	716	2	A9N61528 ✓	1528
16	1	A9N61511 ✓	716	2	A9N61531 ✓	1528
20	1	A9N61512 ✓	716	2	A9N61532 ✓	1528
25	1	A9N61513 ✓	716	2	A9N61533 ✓	1528
32	1	A9N61515 ✓	716	2	A9N61535 ✓	1528
40	1	A9N61517 ✓	981	2	A9N61537 ✓	2168
50	1	A9N61518 ✓	981	2	A9N61538 ✓	2168
63	1	A9N61519 ✓	981	2	A9N61539 ✓	2168

Special application MCBs



Solar Application – PV DC

- DC MCB for multi string PV installations
- Operating Voltage: 800V DC
- Current Rating up to 25A
- Complies to IEC / EN 60947-2



Rail Application* (including Rolling Stock)

- Fire & smoke Resistant – Level 2 (NF F 16-101, NF F 16-102)
- Shock & vibration resistant (IEC 61373) – Cat 1, Class B
- Breaking Capacity: up to 25kA
- Complies to IEC / EN 60947-2



UL MCB

- Type: UL1077, UL489
- Breaking Capacity of 10kA
- Complies to IEC 60947-2 / UL1077 / UL489 / CSA

Note:

Please contact nearest Schneider Electric sales office or Customer Care for Reference and prices of Application Specific MCBs

*Rail Application RCDs are also available on demand

**18mm/module

Please contact Customer Care Center for Stockable and Non stockable status of references.

✓ NORMAL STOCK ITEMS

W.E.F. January 27th, 2020

AC Miniature Circuit Breakers - NG125



- Compliance to IEC / EN 60947-2
- High Breaking Capacity MCBs – up to 50kA
- Current Rating up to 125A
- Trip on fault indication on front face of MCB
- Suitability for isolation in the industrial sector to IEC/EN 60947-2
- Available in B, C, D Curves

[In] Rated Current (A)	1 Pole Reference	Unit LP [₹]	2 Pole Reference	Unit LP [₹]	3 Pole Reference	Unit LP [₹]	4 Pole Reference	Unit LP [₹]
Module Width**	1.5 mod		3 mod		4.5 mod		6 mod	

NG125N – 25kA Breaking Capacity

10	18610	*	18621	*	18632	*	18649	*
16	18611	*	18622	*	18633	*	18650	*
20	18612	*	18623	*	18634	*	18651	*
25	18613	*	18624	*	18635	*	18652	*
32	18614	*	18625	*	18636	*	18653	*
40	18615	*	18626	*	18637	*	18654	*
50	18616	*	18627	*	18638	*	18655	*
63	18617	*	18628	*	18639	*	18656	*
80	18618	*	18629	*	18640	*	18658	*

NG125H – 36kA Breaking Capacity

10	18705	*	18714	*	18723	*	18732	*
16	18706	*	18715	*	18724	*	18733	*
20	18707	*	18716	*	18725	*	18734	*
25	18708	*	18717	*	18726	*	18735	*
32	18709	*	18718	*	18727	*	18736	*
40	18710	*	18719	*	18728	*	18737	*
50	18711	*	18720	*	18729	*	18738	*
63	18712	*	18721	*	18730	*	18739	*
80	18713	*	18722	*	18731	*	18740	*

NG125H – 50kA Breaking Capacity

10	18777	*	18788	*	18799	*	18810	*
16	18778	*	18789	*	18800	*	18811	*
20	18779	*	18790	*	18801	*	18812	*
25	18780	*	18791	*	18802	*	18813	*
32	18781	*	18792	*	18803	*	18814	*
40	18782	*	18793	*	18804	*	18815	*
50	18783	*	18794	*	18805	*	18816	*
63	18784	*	18795	*	18806	*	18817	*
80	18785	*	18796	*	18807	*	18818	*

*Price on Request – Please contact Schneider Electric Customer Care Center for Prices

**18mm/module

Note: Reference provided above are for C Curve MCBs – B and D Curve details available on request

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 27th, 2020

Residual Current Devices (RCDs) - For Human and Fire Protection



**30
mA**

Use of **30mA RCDs** is now **mandatory** for all **domestic intallations** in India {CEA Amendment regulation 2015*}



Schneider Electric provides voltage independent RCDs which work on current sensing technology and provide protection from residual current even at extra low voltages (down to zero volts) and in case of break of neutral.

**SI
Type**

Schneider Electric offers SI RCD built to operate in electrically polluted or installation in aggressive environments:

- Flourescent / Variable lighting with Electronic ballast
- Powerful IT / Telecom equipment / Air conditioning
- Severe Atmosphere - High lighting risk / Swimming pools

* for Measures relating to Safety and Electric supply

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 27th, 2020

AC Residual Current Circuit Breakers - xID



Suitable for
ComReady
Auxiliary



- Complies to standards IEC/EN 61008-1 and IS 12640
- AC Class protection
- Selective range available for time based discrimination
- Easy Monitoring: Earth fault indication and Test Button on front face
- Operating temperature up to +70°C
- Mandatory to use OF-S auxiliary to add any indication or tripping auxiliary

[In] Rated Current (A)	Earth-Leakage Sensitivity (mA)	Module Width 18mm/module	2 Pole Reference	Unit LP [₹]	Module Width 18mm/module	4 Pole Reference	Unit LP [₹]
25	30	2	A9N16201	3487	4	A9N16251	4898
	100	2	A9N16203	3801	4	A9N16253	5108
	300	2	A9N16202	3917	4	A9N16252	5261
40	30	2	A9N16204	4105	4	A9N16254	4820
	100	2	A9N16205	4347	4	A9N16255	5140
	300	2	A9N16206	4557	4	A9N16256	5339
63	30	2	A9N16208	4946	4	A9N16258	5588
	100	2	A9N16209	5224	4	A9N16259	6074
	300	2	A9N16210	5329	4	A9N16260	6101
80	30	2	A9N16212	8321	4	A9N16261	9854
	100	2	A9N16213	8306	4	A9N16262	9828
	300	2	A9N16214	8458	4	A9N16263	9886

AC Residual Current Circuit Breakers (RCCBs) - ID



- Complies to standards IEC 61008-1 and VDE 0664
- AC Class protection
- Degree of pollution: 3 (suitable for industrial environment)
- Electrical ON/OFF indication by using OFSP auxiliary

Poles Description	[In] Rated Current (A)	Earth-Leakage Sensitivity (mA)	Module Width 18mm/module	Reference	Unit LP [₹]
4P	100	30	4	**A9R11491	12403
		100	4	**A9R12491	13070
		30	4	16905	37983
	125	100	4	16906	36981
		300	4	16907	37154

Note: **For 100A RCCB Auxiliary kindly contact Customer Care

AC Residual Current Breaker Overload (RCBO) - DPN N Vigi



Suitable for
ComReady
Auxiliary



- Complies to standards IEC/EN 61009
- AC Class Protection; Tripping characteristics - C curve
- Overvoltage category (IEC 60364): IV
- Suitable for indication & tripping auxiliaries

Poles Description	[In] Rated Current (A)	Earth-Leakage Sensitivity (mA)	Module Width 18mm/module	Reference	Unit LP [₹]
1P+N	6	30	2	A9N19661	5150
		300	2	A9N19681	5329
	10	30	2	A9N19663	5150
		300	2	A9N19683	5329
	16	30	2	A9N19665	5150
		300	2	A9N19685	5329
	20	30	2	A9N19666	5150
		300	2	A9N19686	5329
	25	30	2	A9N19667	5150
		300	2	A9N19687	5329
	32	30	2	A9N19668	5402
		300	2	A9N19688	5597
	40	30	2	A9N19669	6641
		300	2	A9N19689	6815

Note: Application specific RCDs also available with 10mA, 500mA and 1000mA sensitivities | Please contact nearest Schneider Electric Sales Office or Customer Care Center for Reference and Prices

Please contact Customer Care Center for Stockable and Non stockable status of references.

☑ NORMAL STOCK ITEMS

W.E.F. January 27th, 2020

SI Type Residual Current Circuit Breakers (RCCBs) - xID SI



- Complies to standard IEC/EN 61008-1
- SI RCDs offer enhanced immunity against Electrical Disturbances; Polluted and Corrosive environments - Guaranteed performance in harsh operating conditions
- Ensures continuity of supply in networks with:
 - Transient overvoltages
 - Loads generating HF leakage current i.e. harmonics
 - Loads generating continuous leakage current
- Ensures tripping on genuine earth fault in networks with:
 - Pulsating DC components
 - HF applications which "Blinds" (non-tripping) the conventional RCDs

[In] Rated Current (A)	Earth-Leakage Sensitivity (mA)	Module Width 18mm/module	2 Pole Reference	Unit LP [₹]	Module Width 18mm/module	4 Pole Reference	Unit LP [₹]
25	30	2	A9N16234	7686	4	A9N16321	8568
40	30	2	A9N16237	8075	4	A9N16324	8841
63	30	2	A9N16240	8306	4	A9N16327	9072
	300	2	A9N16246	8369	4	A9N16334	9445

Vigi Block for xC60 (Add-on RCD Module, 2 & 4 Pole)



- Flexibility to use MCB of any tripping curve to suit applications, ensuring best 3 in 1 protection
- No auxiliary supply required
- AC Class protection
- Degree of pollution: 3 (suitable for industrial environment)
- Immune to nuisance tripping due to transient over voltages

[In] Rated Current (A)	Earth-Leakage Sensitivity (mA)	Module Width 18mm/module	2 Pole Reference	Unit LP [₹]	Module Width 18mm/module	4 Pole Reference	Unit LP [₹]
25	30	1.5	A9N26581	5110	3	A9N26595	6138
	100	1.5	A9N26582	6502	3	A9N26596	6622
	300	1.5	A9N26583	6877	3	A9N26597	7124
63	30	2	A9N26611	7150	3.5	A9N26643	7177
	100	2	A9N26612	7571	3.5	A9N26644	7319
	300	2	A9N26613	7929	3.5	A9N26645	7460

Note: Vigi Block for High Rating up to 125A (C120) and High Breaking Capacity (NG125) available on demand

SI Type Residual Current Breaker Overload (RCBO) - DPN N Vigi SI



- Complies to standard IEC/EN 61009
- Ensures continuity of supply in networks with:
 - Transient overvoltages
 - Loads generating HF leakage current i.e. harmonics
 - Loads generating continuous leakage current
- Ensures tripping on genuine earth fault in networks with :
 - Pulsating DC components
 - HF applications which "Blinds" (non-tripping) the conventional RCDs

Poles Description	[In] Rated Current (A)	Earth-Leakage Sensitivity (mA)	Module Width 18mm/module	Reference	Unit LP [₹]
1P+N	6	30	2	A9N19631	*
		300	2	A9N19641	*
	10	30	2	A9N19632	*
		300	2	A9N19642	*
	16	30	2	A9N19634	*
		300	2	A9N19644	*
	20	30	2	A9N19635	*
		300	2	A9N19645	*
	25	30	2	A9N19636	*
		300	2	A9N19646	*
	32	30	2	A9N19637	*
		300	2	A9N19647	*
	40	30	2	A9N19638	*
		300	2	A9N19648	*

*For Prices, please contact nearest Schneider Electric Sales Office or Customer Care Center are Center for Reference and Prices


Please contact Customer Care Center for Stockable and Non stockable status of references.

☑ NORMAL STOCK ITEMS

W.E.F. January 27th, 2020

Common Auxiliaries for xC60 / C120 / RCDs Range

- Field-fittable auxiliaries (clip fitted) mounted on left side with maximum width of 54mm
- Order: Tripping Auxiliaries (MN first) followed by Indication Auxiliaries (SD first)



Type	Module Width 18mm/module	Reference	Unit LP [₹]
Indication Auxiliaries			
OF Auxiliary Switch: for ON/OFF indications	0.5	A9N26924	1006
SD Alarm Switch: for Trip on fault indications	0.5	A9N26927	1181
OF + SD/OF Auxiliary switch	0.5	A9N26929	3145
OF+SD24 auxiliary contact (ComReady)	0.5	A9N26899	2636
Protection Auxiliaries – Trip Indication on front face			
MN Under-voltage Release 220-240V AC	1	A9N26960	4232
MSU Over-voltage Release 275V AC	1	A9N26500	5014
Tripping Auxiliaries – Trip Indication on front face			
MX + OF Shunt Release 110-415V AC: for Remote tripping of Circuit Breaker	1	A9N26946	2751
MX + OF Shunt Release 12-24V AC/DC: for Remote tripping of Circuit Breaker	1	A9N26948	2751
Auxiliary Switch for RCCBs – Mandatory for use of Auxiliaries with RCCBs			
Auxiliary switch for RCCB up to 80A (OF-S)	0.5	A9N26923	1344
Auxiliary switch for RCCBs 125A (OFSP)	0.5	16940	2042

Accessories



Type	Description	Reference	Unit LP [₹]
Rotary Handle*	Breaker Switching Sub-Assembly	27046	3275
	Extended, Disconnectable handle	27047	2025
Padlock** (bag of 2)		26970	786
Multicable terminal for 3 copper cables**		19096	1260
Aluminum cable terminal**		27060	476
Spacer		A9N27062	198

* for xC60, C120, DPN N Vigi, C60H-DC, xSW - Multi poles only

**for xC60, xID, DPN N Vigi, C60H-DC, xSW, C60PV-DC

Note: For all above Reference MOQ = 1

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 27th, 2020

Protection Against Lightning Strikes And Switching Surges



For all low voltage switchboards and electrical enclosures:

Comprehensive range

- To ensure the protection of equipment connected to:
- Low voltage networks,
- Telecommunications networks,
- Computer networks.
- Easy to implement and use.
- Compatibility with all earthing systems (TT, TNS, TNC, IT).
- Technical and aesthetic consistency

Continuity of service and certified safety

Schneider Electric certified coordination between the surge arrester and its disconnection circuit breaker.

Compliance with standards: IEC/EN 61643-11.



More and more electrical equipment today is sensitive to overvoltages caused by lightning.



90%

of power outlets supply equipment incorporating electronic devices.



iQuick PRD “built-in” technology surge arresters, a Schneider Electric innovation, incorporate their own disconnection circuit breaker: easy to choose and simple to install for greater effectiveness.



Up to **30%** of installation time saved.

Surge Arresters - Type 1+ 2



- Complies to IEC 61643-1 and EN 61643-11
- Withdrawable type: Easy Replacement
- Inbuilt SPD health Indicator: Also available with remote signaling
- For protection against Direct lightning surge, Indirect lightning surge, Switching surge
- Iimp up to 25kA & Imax upto 40kA
- **Always use a Back-up MCB with your SPD**
- Maximum Operating Voltage [Uc]: 350V

Type	Pole Description	Module Width 18mm/module	Reference	Unit LP [₹]
PRD1 25r	1P	2	16329	13655
	1P + N	4	16330	30041
	3P	6	16331	45050
	3P + N	8	16332	55970

Surge Arresters iPRD- Type 2 (Withdrawable type) (TT, TN-S, TN-C Systems)



- In conformance with standards IEC 61643-11/2011 T2 and EN 61643-11 Type 2
- For protection against Indirect lightning surge and Switching surge
- Inbuilt health Indicator
- Response time < 25ns
- Imax (8/20 s): 65/40/15/8kA
- Maximum Operating Voltage [Uc]: 340V
- Level of protection,Up: 1.0 - 2.0 kV
- Remote indication contact with 8r/20r/40r/65r
- **Always use a Back-up MCB with your SPD**

Type	Rated Voltage (V)	Pole Description	Module Width 18mm/module	Reference	Unit LP [₹]
iPRD8	230	1P	1	A9L08100	4095
	230	1P+N	2	A9L08500	7660
	230/400	3P	3	A9L08300	10343
	230/400	3P+N	4	A9L08600	15614
iPRD8r	230	1P+N	2	A9L08501	9182
	230/400	3P+N	4	A9L08601	18737
	230	1P	1	A9L20100	4594
iPRD20	230	1P+N	2	A9L20500	9634
	230/400	3P	3	A9L20300	12332
	230/400	3P+N	4	A9L20600	17438
iPRD20r	230	1P+N	2	A9L20501	11456
	230/400	3P+N	4	A9L20601	21326
	230	1P	1	A9L40100	5429
iPRD40	230	1P+N	2	A9L40500	11093
	230/400	3P	3	A9L40300	15929
	230/400	3P+N	4	A9L40600	22218
iPRD40r	230	1P	1	A9L40101	6510
	230	1P+N	2	A9L40501	14306
	230/400	3P	3	A9L40301	21441
iPRD65r	230/400	3P+N	4	A9L40601	26660
	230	1P	1	A9L65101	8705
	230	1P+N	2	A9L65501	18233
	230/400	3P	3	A9L65301	23793
	230/400	3P+N	4	A9L65601	30875

Spare Cartridges for iPRD



- Spare Cartridges for iPRD8r, iPRD20r, iPRD40r and iPRD65r
- End of life indication available on front face
- These Cartridges are not compatible with Old SPD range (A9L16...)**

Type	Spare Cartridges for	Reference	Unit LP [₹]
iPRD 65-350	iPRD65r	A9L65102	5450
iPRD 40-350	iPRD40, iPRD40r	A9L40102	4190
iPRD 20-350	iPRD20, iPRD20r	A9L20102	3355
iPRD 8-350	iPRD8, iPRD8r	A9L08102	2940
iPRD Neutral	All products (1P+N, 3P+N)	A9L00002	4410

**Spare Cartridges for Old SPD Range (A9L16...) are available on demand - please contact nearest Schneider Electric Sales Office or Customer Care for Reference and prices

Note: Note: For all above Reference MOQ = 1

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 27th, 2020

iQuick PRD - Type 2 with inbuilt MCB



- Compact SPD with in-built back up MCB - saving on space, MCB selection, wiring time
- Compliance to EN 61643-11
- Withdrawable Type - Cost Efficient - Allows damaged Cartridges to be replaced without having to replace entire SPD
- Inbuilt SPD Health Indicator on front face of device; Remote signaling functionality also available
- Incoming Protection: iQuick PRD 40r (High Risk level) and iQuick PRD 20r (Moderate Risk level)
- Secondary Protection: iQuick PRD 8r is cascade mounted with incoming surge arresters

Type	Pole Description	Module Width 18mm/module	Reference	Unit LP [₹]
iQuick PRD 8r	1P+N	4	A9L16298	11772
	3P	6.5	A9L16299	16816
	3P+N	7.5	A9L16300	20927
iQuick PRD 20r	1P+N	4	A9L16295	13729
	3P	6.5	A9L16296	20186
	3P+N	7.5	A9L16297	25111
Quick PRD 40r	1P+N	4	A9L16292	16034
	3P	6.5	A9L16293	24024
	3P+N	7.5	A9L16294	29857

Note: Spare / Replacement Cartridges available - For Reference and prices contact nearest sales office or customer care

Photovoltaic surge arresters



- Protection for photovoltaic panels and the DC input to the inverter from overvoltages due to a lightning strike
- Type 2 surge arresters
- Should be installed in switchboard inside the building. If switchboard is located outside, it must be weatherproof
- Withdrawable surge arrester allows damaged Cartridges to be replaced quickly
- Inbuilt SPD Health Indicator on front face of device; Remote signaling functionality also available

Type	U (cpv) Maximum Operating Voltage (V)	Module Width 18mm/module	Reference	Unit LP [₹]
iPRD 40r	800	3	A9L40271	9130
	1000	3	A9L40281	10432

Note: Spare / Replacement Cartridges available - For Reference and prices contact nearest sales office or customer care

Surge Arresters for Communication Networks



- Analogue telephone line protection: iPRC surge arrester wired in series to the private installation input, protects the telephones, the modems (including ADSL) etc
- Protection for 2 low-current lines without common potential or 4 lines with common reference potential
- iPRI protects measuring instrument and PLC sensor inputs and the DC power supply inputs up to 53 V and AC power supply inputs up to 37 V

Type	[Ue] Operational Voltage (V)	Module Width 18mm/module	Reference	Unit LP [₹]
PRI	48 V DC	1	A9L16339	16286
PRC	130 V AC	1	A9L16337	9959

Note: For all above Reference MOQ = 1

Isolator - xSW



- Complies to IEC/EN 60947-3
- Switching duty: AC-22
- Impulse voltage: 6kV
- DC application: 48V (110V with 2 poles in series)
- Short circuit withstand 20 In for 1 second
- Upto 80A Bi connect terminals & 100A to 125A with mono connect terminals

Poles Description	[In] Rated Current (A)	Module Width 18mm/module	MOQ	Reference	Unit LP [₹]
2	40	2	6	A9S2P040	611
	63	2	6	A9S2P063	809
	80	2	6	A9S2P080	970
	100	2	6	A9S2P100	1407
	125	2	6	A9S2P125	1454
3	40	3	4	A9S3P040	1076
	63	3	4	A9S3P063	1260
4	40	4	3	A9S4P040	1360
	63	4	3	A9S4P063	1486
	80	4	3	A9S4P080	1969
	100	4	3	A9S4P100	2216
	125	4	3	A9S4P125	2394

Selector Switch - iSSW



- Complies to IEC 60947-5-1 and IEC 60669-1
- Rating 20A, 250V AC
- Electrical life (AC22): 30,000 cycles
- Connection: tunnel terminals cables up to 10 sq. mm

No. of positions	Poles Description	Contacts	Module Width 18mm/module	MOQ	Reference	Unit LP [₹]
2	1	1 C/O	1	12	A9E18070	1265
	2	2 C/O	2	6	A9E18071	1743
		1NO + 1NC	1	12	A9E18072	1012
3	1	1 C/O	1	12	A9E18073	1244
	2	2 C/O	2	6	A9E18074	2105

iRO Buzzers



- Audible indication in housing and the tertiary sector
- Sound level of 70dBA at a distance of 60cm

Voltage	Module Width 18mm/module	Reference	Unit LP [₹]
230V AC	1	A9A15322	1076
8..12V AC	1	A9A15323	897

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 27th, 2020

iCT Contactors



- Complies with standards IEC 1095, E N 61095
- 4 operating modes switch on front face :
 - Automatic mode
 - Temporary "ON" mode
 - Permanent "ON" mode
 - Shutdown
- Mechanical contact position Indicator
- Safe installation maintenance: lock the contactor in ON position
- Silent operation (20dB) for entire range

Type	Rating (A)	No. of Contacts	Module Width 18mm/module	Reference	Unit LP [₹]
1P	25	1NO	1	A9C20731	1958
	16	2NO	1	A9C22712	2016
2P	25	2NO	1	A9C20732	2410
	40	2NO	2	A9C20842	4127
	63	2NO	2	A9C20862	5271
3P	25	3NO	2	A9C20833	3056
	40	3NO	2	A9C20843	6899
	63	3NO	3	A9C20863	7497
4P	25	4NO	2	A9C20834	3250
	40	4NO	2	A9C20844	7035
	63	4NO	3	A9C20864	8479
	63	2NO + 2NC	3	A9C20868	8479

Note: 100A Contactor in 2P / 4P - available on request

iTL Impulse Relays



- Complies with standards IEC/EN 60669-2-2
- Safe maintenance: disconnection of remote control by selector switch
- Manual Controls on front face: 0-I toggle
- Mechanical contact position Indicator
- Maximum 5 operations/min. and 100 switching operations/day
- Degree of pollution: 3 (suitable for industrial environment)

Type	Rating (A)	Control Voltage	No. of Contacts	Module Width	Reference	Unit LP [₹]
1P	16	230-240 VAC	1NO	1	A9C30811	1265
	32	230-240 VAC	1NO	1	A9C30831	1591
2P	16	230-240 VAC	2NO	1	A9C30812	2079
	32	230-240 VAC	2NO	1	A9C30831 + A9C32836	4935
3P	16	230-240 VAC	1NO+1NO/NC+1NO	2	A9C30811 + A9C32816	3948
	32	230-240 VAC	1NO+1NO/NC+1NO	2	A9C30831 + 2* x A9C32836	8279
4P	16	230-240 VAC	4NO	2	A9C30814	4316
	32	230-240 VAC	4NO	2	A9C30831 + 3* x A9C32836	11623

iIL Indicator Lights



- Complies with standard IEC 60947-5-1
- Indicator light with LED technology
- Service life 100,000 hours with constant luminous efficiency

Type	Colour	Module Width 18mm/module	Reference	Unit LP [₹]
Single Indicator light	Red	1	A9E18320	1187
	Green	1	A9E18321	1187
	Blue	1	A9E18323	1187
	Orange	1	A9E18324	1187
3 phase voltage presence light	Red/Red/Red	1	A9E18327	3113
Single Push Button (1 NO+ 1NC)	Grey	1	A9E18033	1764

Note: For all above Reference MOQ = 1

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 27th, 2020

PowerTag - World's smallest energy sensor



Monitor Your Energy

- Real time U, V, I, P, PF
- Active energy metering (Class 1 EN 61557-12) partial and total
- Load balance overview for 3P

Improve your Maintenance

- Pre Alarm on overload
- Specific "alarms" for U, I, P
- Alarm on feeder voltage loss

Description	Part no.	Unit LP [₹]
PowerTag 1P	A9MEM1520	7502
PowerTag 1P+N Up	A9MEM1521	7502
PowerTag 1P+N Down	A9MEM1522	7502
PowerTag 3P	A9MEM1540	14999
PowerTag 3P+N Up	A9MEM1541	14999
PowerTag 3P+N Down	A9MEM1542	14999
PowerTag Flexi 1P	A9MEM1560	8243
PowerTag Flexi 3P+N	A9MEM1570	16349

Smartlink



- Compliance to IEC/EN 61131-2
- Protection Monitoring – Device Status and alarm notifications
- Load Control / Switching through Contactors and Impulse Relays
- Energy Monitoring through pulse meters
- Alarm over email and analog sensors (temperature / humidity) with Smartlink Ethernet
- Plug & Play – Pre fabricated cables and in built web pages
- Rated Voltage: 24V DC

Description	Reference	Unit LP [₹]
Smartlink Modbus	A9XMSB11	36049
Smartlink SI-D	A9XMWA20	21147
Smartlink SI-B	A9XMZA08	40163
Smartlink EL-D	A9XELC10	22050
Wiser Energy Module IP	EER31800	22050

Communication Auxiliaries



Auxiliary for Protection Devices (OF+SD24)

Auxiliary for Contactors (iACT24)

Auxiliary for Impulse Relays (iATL24)

Description	Module Width	Reference	Unit LP [₹]
OF+SD24	0.5	A9N26899	2636
iACT24	1	A9C15924	13120
iATL24	1	A9C15424	13818

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 27th, 2020



Description	Set of	Reference	Unit LP [₹]
Prefabricated Cables:			
With 2 Connectors			
Short: 100mm	6	A9XCAS06	5339
Medium: 160mm	6	A9XCAM06	5392
Long: 870mm	6	A9XCAL06	6132
With 1 Connector			
Long:870mm	6	A9XCAU06	3686
Connectors			
5-pin connectors (Ti24)	12	A9XC2412	7429
Mounting Kit			
Din Rail (4 feet, 4 Straps, 4 Adapters)	1	A9XMFA04	1460
Multiclip			
Multiclip 80A	1	04000	8930
Spare Parts			
Lock for Multiclip 80A (2 clips)	1	A9XMLA02	445
Distribloc 63A			
Distribution from the top (4 Module)	1	04040	10169
Distribution through the bottom (4 Module)	1	04041	10169
Power Logic EGX300 - Ethernet port (4 Module)	1	30002885	30809
ABL Power Supply - 1.2A 24VDC	1	ABL8MEM24012	6720
ABL Power Supply - 0.6A 24VDC	1	ABL8MEM24006	4950
Double DIN rail	1	LSL58801A	725

Reflex iC60 - Integrated Control & Overcurrent Protection Device



- All in One Solution: MCB + Contactor + Impulse Relay + Auxiliary
- 10kA Breaking capacity as per IEC/EN 60947-2,
- Ti24 interface: Connection to PLC, Smartlink
- 3 operating modes to cater to a variety of applications
- Safe lock down with Integrated Padlocking
- Simplified maintenance: Front face Indicator allows better reliability

[In] Rated Current (A)	2 Pole Reference	Unit LP [₹]	3 Pole Reference	Unit LP [₹]	4 Pole Reference	Unit LP [₹]
Module Width **	4.5 mod		5.5 mod		6.5 mod	2275
B Curve						
10	A9C61210	36099	A9C61310	36997	A9C61410	40415
16	A9C61216	34398	A9C61316	37028	A9C61416	38540
25	A9C61225	34435	A9C61325	37102	A9C61425	38614
40	A9C61240	36598	A9C61340	40320	A9C61440	42919
63	A9C61263	37863	A9C61363	41108	A9C61463	45355
C Curve						
10	A9C62210	36104	A9C62310	38855	A9C62410	38504
16	A9C62216	36120	A9C62316	38882	A9C62416	40472
25	A9C62225	36157	A9C62325	38945	A9C62425	38619
40	A9C62240	38441	A9C62340	40341	A9C62440	42945
63	A9C62263	39753	A9C62363	41108	A9C62463	45360
D Curve						
10	A9C63210	34382	A9C63310	37002	A9C63410	38504
16	A9C63216	34398	A9C63316	37023	A9C63416	38540
25	A9C63225	34435	A9C63325	37102	A9C63425	38619

Note: **18mm/module

LP: List Price

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 27th, 2020

Energy Meters



- Digital Kilowatt-hour meters designed for sub-metering of active energy (rms) consumed by a single-phase or three-phase electric circuit with or without distributed neutral
- ComReady DB mountable version
- Accuracy class-1
- No External CT required

Description	Reference	Unit LP [₹]
iEM 2000T 1Ph Energy Meter upto 40A, POP w/o Display	A9MEM2000T	4899
iEM3110 3 Phase Energy Meter Energy Meter with POP Accuracy CL 1.0	A9MEM3110	11700
iEM3150 3 Phase Energy Meter Energy Meter with V,I,Power, Accuracy CL 1.0, with Modbus	A9MEM3150	12781
iEM3155 Multifunction 3 Phase Energy Meter with V,I,F,PF,Power, Energy,1DI/1DO, Multi Tariff, with Modbus Accuracy CL 1.0	A9MEM3155	13541

Note: For Higher Currents /Loads , Select iEM32 Series , CT Operated , Accuracy CL 0.5S

Acti 9

Distribution Boards

Spectacular Design

Blends seamlessly with interiors



Unique Rounded Corners | Color - RAL 9003 white | Designer Rotary Knob

Maximized Wiring Space

Convenient and Safe wiring



15% more wiring area | Reduced U-box Collar | Removable Frame, Centre plate & Gland plate

Adaptable

Total Flexibility for ease of installation and usage



Surface and Flush installation | Field fittable key lock provision | Reversible Door

Inspiring the **S.M.A.R.T.** choice!!!

Robust Architecture

Perfect blend of Strength & Weight



High Strength-to-Weight ratio | RoHS and REACH Compliance – ideal solution for GREEN Buildings

Technically Proven

Safety Guaranteed





Designed and Manufactured as per IS 8623 - 1&3 | IP and IK test by ERDA & CPRI | Glow wire tested



Acti 9

Distribution Boards



Metal Enclosures



- Metal Enclosure to mount individual Modular Device feeding directly to the load or final distribution board

Description	Total Module Cutout	Single Door (IP30) Reference	Unit MRP [₹]	Double Door Metal (IP43) Reference	Unit LP [₹]
2 way	1 / 2	A9HMES02 <input checked="" type="checkbox"/>	756	-	-
4 way	3 / 4	A9HMES04 <input checked="" type="checkbox"/>	756	-	-

SPN DBs



- SPN DB for distribution of Single Phase Neutral supply to respective load MCBs
- Incomer - DP RCCB/RCBO/Isolator/MCB
- Outgoing - SP MCBs

Description	Total Module Cutout (Incomer + Outgoing)	Single Door (IP30) Reference	Unit MRP [₹]	Double Door Metal (IP43) Reference	Unit LP [₹]
6 way	6	A9HSNS06	1470	A9HSND06 <input checked="" type="checkbox"/>	2111
8 way	8	A9HSNS08 <input checked="" type="checkbox"/>	1787	A9HSND08 <input checked="" type="checkbox"/>	2364
12 way	12	A9HSNS12	2117	A9HSND12 <input checked="" type="checkbox"/>	2843
18 way	18	A9HSNS18	2840	A9HSND18 <input checked="" type="checkbox"/>	3712

TPN DBs



- Standard TPN DBs for distribution of Three Phase and Neutral supply
- Incomer - FP RCCB/RCBO/Isolator/MCB
- Outgoing - SP MCBs
- TPN DBs can be converted to PPI DB using 'PPI Kit' provided on next page

Description	Total Module Cutout (Incomer + Outgoing)	Single Door (IP30) Reference	Unit MRP [₹]	Double Door Metal (IP43) Reference	Unit MRP [₹]
4 way eco	4 + 12	-	-	A9HTND04E <input checked="" type="checkbox"/>	4568
4 way	8 + 12	A9HTNS04	4043	A9HTND04 <input checked="" type="checkbox"/>	4702
6 way	8 + 18	A9HTNS06	4887	A9HTND06 <input checked="" type="checkbox"/>	5794
8 way	8 + 24	A9HTNS08	5747	A9HTND08 <input checked="" type="checkbox"/>	6958
12 way	8 + 36	A9HTNS12	8678	A9HTND12 <input checked="" type="checkbox"/>	10637

Flexi Tier DBs



- Flexi DBs give total flexibility to mount any type and size of Modular devices as per load requirement
- Provided with N-Bar and E-Bar
- Flexi Tier DBs can be converted to PPI DB using 'PPI Kit' provided on next page

Description	Total Module Cutout (Incomer + Outgoing)	Single Door (IP30) Reference	Unit MRP [₹]	Double Door Metal (IP43) Reference	Unit LP [₹]
2 Tier 24 Modules	2 x 12	-	-	A9HFD224	5964
3 Tier 36 Modules	3 x 12	-	-	A9HFD336	7161
4 Tier 40 Modules	4 x 10	-	-	A9HFD440 <input checked="" type="checkbox"/>	7571
4 Tier 56 Modules	4 x 14	-	-	A9HFD456 <input checked="" type="checkbox"/>	7912

Note: For all above Reference MOQ = 1

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 27th, 2020

Per Phase Isolation DBs

- PPI DBs to mount DP Residual Current Device (RCD) at an individual phase level to isolate the faulty phase in case of earth leakage and ensure continuity of supply to other healthy phases
- Incomer - Modular (FP MCB/Isolator) using PPI Kit / MCCB100A (TP/FP Compact NSX or EasyPact CVS)
- Sub-Incomer - DP RCCB/RCBO
- Outgoing - SP MCBs

Description	Total Module Cutout (Incomer + Outgoing)	Single Door (IP30) Reference	Unit MRP [₹]	Double Door Metal (IP43) Reference	Unit LP [₹]
12 way	100A MCCB + 6 + 36	-	-	A9HPID12M	15782

PPI Kit (to convert TPN and Flexi Tier DBs to PPI DB)



- Set of accessories to convert TPN DBs and 4 tier Flexi DBs to PPI DB
- Kit is provided with additional required quantity of N-Bar, wire set, Busbars (only for Flexi Tier) and Mounting Kit (only for TPN)

Description	Reference	Unit LP [₹]
PPI Kit for 6way TPN DB (2+4w PPI DB)	A9HKIT04 <input checked="" type="checkbox"/>	3098
PPI Kit for 8way TPN DB (2+6w PPI DB)	A9HKIT06 <input checked="" type="checkbox"/>	3628
PPI Kit for 12way TPN DB (2+10w PPI DB)	A9HKIT10 <input checked="" type="checkbox"/>	4001
PPI Kit for 4T40M Flexi DB (2+8w PPI DB)	A9HKIT08 <input checked="" type="checkbox"/>	6421
PPI Kit for 4T56M Flx DB (2+12w PPI DB)	A9HKIT12 <input checked="" type="checkbox"/>	7103

Phase Segregated DBs



- Phase Segregated DBs to provide total safety for installer and maintenance personnel, by compartmentalizing each Phase and separating Incomer, Sub-Incomer and Outgoing
- Offers better continuity of supply in case of faults during maintenance at DB level.
- Incomer - Modular (FP MCB/Isolator) / MCCB 100A (TP/FP during maintenance Compact NSX or EasyPact CVS)
- Sub-Incomer - DP RCCB/RCBO
- Outgoing - SP MCBs

Description	Total Module Cutout (Incomer + Sub-incomer + Outgoing)	Single Door (IP30) Reference	Unit MRP [₹]	Double Door Metal (IP43) Reference	Unit LP [₹]
6 way	8 + 12 + 18	-	-	A9HPGD06 <input checked="" type="checkbox"/>	14018
8 way	8 + 12 + 24	-	-	A9HPGD08 <input checked="" type="checkbox"/>	15650
12 way	8 + 12 + 36	-	-	A9HPGD12	19651
12 way with MCCB I/c	100A MCCB + 12 + 36	-	-	A9HPGD12M	26518

VTPN DBs for Modular Incomer



- Ideal solution to distribute power supply to both 3 Phase and 1 Phase loads in the same DB
- Incomer - FP RCCB/RCBO/Isolator/MCB
- Outgoing - SP MCBs / TP MCBs

Description	Total Module Cutout (Incomer + Outgoing)	Single Door (IP30) Reference	Unit MRP [₹]	Double Door Metal (IP43) Reference	Unit LP [₹]
4 way	8 + 12	-	-	A9HVTD04 <input checked="" type="checkbox"/>	11860
8 way	8 + 24	-	-	A9HVTD08 <input checked="" type="checkbox"/>	15089
12 way	8 + 36	-	-	A9HVTD12 <input checked="" type="checkbox"/>	20197

Note: For all above Reference MOQ = 1

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 27th, 2020

VTPN DBs for MCCB Incomer



- DBs for higher incoming current distribution up to 250A
- Incomer - TP/FP Compact NSX or EasyPact CVS MCCB up to 250A
- Outgoing - SP MCBs / TP MCBs

Description	Total Module Cutout (Incomer + Outgoing)	Single Door (IP30) Reference	Unit MRP [₹]	Double Door Metal (IP43) Reference	Unit LP [₹]
4 way	100A MCCB + 12	-	-	A9HVD04L	12994
8 way	100A MCCB + 24	-	-	A9HVD08L	16464
12 way	100A MCCB + 36	-	-	A9HVD12L	21898
4 way	160A MCCB + 12	-	-	A9HVD04M	14301
8 way	160A MCCB + 24	-	-	A9HVD08M	17819
12 way	160A MCCB + 36	-	-	A9HVD12M	23783
8 way	250A MCCB + 24	-	-	A9HVD08H	30791
12 way	250A MCCB + 36	-	-	A9HVD12H	32461

ComReady DBs



- Designed to house Acti 9 communication system
- Supplied with Double DIN rail, E-Bar and Wire channel.
- Accessories to convert Flexi Tier DB into ComReady DB available on request

Description	Total Module Cutout (Incomer + Outgoing)	Single Door (IP30) Reference	Unit MRP [₹]	Double Door Metal (IP43) Reference	Unit LP [₹]
1 Tier 24 Modules	24	-	-	A9HCRD124	7980
2 Tier 48 Modules	48	-	-	A9HCRD248	12931

Metal Clad P&S Units



- Plug & Socket Unit with Electra Plug & Socket and provision to mount modular protection devices to feed the end load directly

Description	Total Module Cutout	Single Door (IP30) Reference	Unit MRP [₹]	Double Door Metal (IP43) Reference	Unit LP [₹]
10A 1P+N+E P&S	2	A9HMS210	1932	-	-
20A 1P+N+E P&S	2	A9HMS220	2069	-	-
30A 3P+E P&S	3	A9HMS330	4531	-	-

Industrial P&S Units (provision to mount PratiKa Sockets)



- Plug & Socket Unit with provision to mount PratiKa straight / angled* socket and modular protection devices to feed the end load directly

Description	Total Module Cutout	Single Door (IP30) Reference	Unit MRP [₹]	Double Door Metal (IP43) Reference	Unit LP [₹]
16A 3P PK P&S	2	A9HKS316	1785	-	-
32A 3P PK P&S	2	A9HKS332	2951	-	-
32A 5P PK P&S	4	A9HKS532	3497	-	-
63A 5P PK P&S	4	A9HKS563	7067	-	-

*upto 32A socket only

Note: For all above Reference MOQ = 1

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 27th, 2020

Locks for Acti 9 DBs



Key Lock

Description	Reference	Unit LP [₹]
Rotary lock	A9HRL801	483
Key Lock	A9HRL802	605

Accessories for Distribution Boards

Description	Reference	Unit LP [₹]
Busbars		
Fork Busbar 1P 12MOD. 63A	R9XFH112	658
Fork Busbar 1P 57MOD. 63A	R9XFH157	1496
Fork Busbar 2P 12MOD. 63A	R9XFH212	772
Fork Busbar 2P 57MOD. 63A	R9XFH257	2871
Fork Busbar 3P 12MOD. 63A	R9XFH312	1155
Fork Busbar 3P 57MOD. 63A	R9XFH357	6281
Fork Busbar 4P 12MOD. 63A	R9XFH412	1496
Fork Busbar 4P 57MOD. 63A	R9XFH457	6578
Busbar Accessories		
Set of 10 End Caps 1P	R9XE110	568
Set of 10 End Caps 2P	R9XE210	568
Set of 10 End Caps 3P	R9XE310	686
Set of 10 End Caps 4P	R9XE410	713
Set of 4 Connector Fork 63A	R9XFC04	546
Set of 20 Tooth Caps	R9XT20	878
Blanking Plate	13229B	32

Note: Blanking Plate MOQ = 10, All other MOQ = 1

Customized Distribution Boards to Suit Your Need -
Available on Request*

- TV/Telephone DBs
- Pre-Wired DBs
- 8 Segment DBs
- Acrylic Door DBs
- IP54 DBs
- DBs with Phase Indication Lamps

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 27th, 2020

Kaedra enclosures for PratiKa industrial sockets are part of a complete system of Watertight enclosures from 16A to 125A providing solutions for protection, control and electrical distribution for tertiary and industrial applications



- Degree of protection - IP65
- Impact strength - IK09
- Resistant to chemical and atmospheric agents, UVs etc.
- Self extinguishing class 2 insulating material
- Flame and abnormal heat resistance: 650°C
- Reversible front face for opening of door to left/right
- Combining of enclosures horizontally/vertically while still maintaining IP
- DIN channel can be positioned in 2 depths & 2 heights for cabling purpose

Mini Enclosures for modular devices



Description	Reference	Unit LP [₹]
4 module	13441 <input checked="" type="checkbox"/>	2520
6 module	13442	2867
8 module	13443	3381
12 module	13444	5434

Enclosures for modular devices (with terminal blocks)



Description	Reference	Unit LP [₹]
1 row 12 module	13431	5996
1 row 18 module	13432	7901
2 row 24 module	13433	8978
2 row 36 module	13434	11366
3 row 36 module	13435	11849
4 row 72 module	13437	22622

Mini Enclosure (suitable to mount modular devices and PratiKa 16A socket)



Description	Reference	Unit LP [₹]
4 module 1 vertical opening	13175 <input checked="" type="checkbox"/>	1197
4 module 2 horizontal opening	13176	1481
4 module 3 horizontal opening	13177	1864

Note: For all above Reference MOQ = 1

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 27th, 2020

Enclosure (suitable to mount modular devices and PratiKa 16A / 32A sockets)



Description	Reference	Unit LP [₹]
5 module 2 opening	13178 <input checked="" type="checkbox"/>	2893
8 module 4 horizontal opening	13179	3948
13 module 3 opening	13180	5224
13 module 6 opening	13181	5744
19 module 8 opening	13182	7403

Functional Plaques



Description	Reference	Unit LP [₹]
Blank - marked for 1 socket 50x50	13135	368
Blank - marked for 1 socket 65x65 or 75x75	13137	372
Intermediate with 65x85 opening	13136	452
Intermediate with one opening for 65x85 & 90x100	13142	750

Note: For all above Reference MOQ = 1

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 27th, 2020

Wander Plugs



- Conforms to IEC 60309-1 & IEC 60309-2
- PK PratiKa Screw Connect: same orientation of clamp's screws
- External impact strength: IK08
- Glow wire test: 850°C

[In] Rated Current (A)	[Ue] Rated Operational Voltage (V)	Poles Description	Reference	Unit MRP [₹]
PratiKa Screw				
IP44				
16	200...250	2P + E	PKE16M423 <input checked="" type="checkbox"/>	435
	380...415	3P + E	PKE16M434 <input checked="" type="checkbox"/>	552
		3P + N + E	PKE16M435 <input checked="" type="checkbox"/>	575
32	200...250	2P + E	PKE32M423 <input checked="" type="checkbox"/>	687
	380...415	3P + E	PKE32M434	796
		3P + N + E	PKE32M435 <input checked="" type="checkbox"/>	785
IP67				
16	200...250	2P + E	PKE16M723 <input checked="" type="checkbox"/>	953
	380...415	3P + E	PKE16M734	1076
		3P + N + E	PKE16M735	1150
32	200...250	2P + E	PKE32M723	1349
	380...415	3P + E	PKE32M734 <input checked="" type="checkbox"/>	1454
		3P + N + E	PKE32M735 <input checked="" type="checkbox"/>	1465
PK (63A & 125A available in IP67 only)				
63	200...250	2P + E	81378	3822
	380...415	3P + E	81382 <input checked="" type="checkbox"/>	3644
		3P + N + E	81383 <input checked="" type="checkbox"/>	3649
125	200...250	2P + E	81390	9760
	380...415	3P + E	81394	11146
		3P + N + E	81395	11146

Small Wall Mounted Sockets



- Conforms to IEC 60309-1 & IEC 60309-2
- External impact strength: IK08
- Glow wire test: 850°C

[In] Rated Current (A)	[Ue] Rated Operational Voltage (V)	Poles Description	Reference	Unit MRP [₹]
IP44				
16	200...250	2P + E	PKF16W423	764
	380...415	3P + E	PKF16W434	886
		3P + N + E	PKF16W435	968
32	200...250	2P + E	PKF32W423	998
	380...415	3P + E	PKF32W434	1197
		3P + N + E	PKF32W435	1265
IP67				
16	200...250	2P + E	PKF16W723	1213
	380...415	3P + E	PKF16W734	1523
		3P + N + E	PKF16W735	1575
32	200...250	2P + E	PKF32W723	1517
	380...415	3P + E	PKF32W734	2216
		3P + N + E	PKF32W735	2940

Note: For all above Reference MOQ = 1

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 27th, 2020

Wall Mounted Sockets



- Conforms to IEC 60309-1 & IEC 60309-2
- Rated operational voltage upto 415V
- Rated operational current upto 125A
- External impact strength: IK08
- Glow wire test: 850°C
- Available only in IP67

[In] Rated Current (A)	[Ue] Rated Operational Voltage (V)	Poles Description	Reference	Unit MRP [₹]
63	200...250	2P + E	81178	4709
	380...415	3P + E	81182	4846
		3P + N + E	81183	4914
125	200...250	2P + E	81190	16826
	380...415	3P + E	81194	16979
		3P + N + E	81195	17063

Wander Sockets



- PK PratiKa Screw Connect: same orientation of clamp's screws.
- PK PratiKa: 16A & 32A; IP44 & IP67
- External impact strength: IK08
- Glow wire test: 850 °C
- Conforms to IEC 60309-1 & IEC 60309-2

[In] Rated Current (A)	[Ue] Rated Operational Voltage (V)	Poles Description	Reference	Unit MRP [₹]
PratiKa Screw				
IP44				
16	200...250	2P + E	PKF16M423 <input checked="" type="checkbox"/>	605
	380...415	3P + E	PKF16M434	697
		3P + N + E	PKF16M435	760
32	200...250	2P + E	PKF32M423 <input checked="" type="checkbox"/>	830
	380...415	3P + E	PKF32M434	1008
		3P + N + E	PKF32M435 <input checked="" type="checkbox"/>	1014
IP67				
16	200...250	2P + E	PKF16M723	1118
	380...415	3P + E	PKF16M734	1402
		3P + N + E	PKF16M735	1465
32	200...250	2P + E	PKF32M723	1538
	380...415	3P + E	PKF32M734	1701
		3P + N + E	PKF32M735	1717
PK (63A & 125A available in IP67 only)				
63	200...250	2P + E	81478	4163
	380...415	3P + E	81482	4200
		3P + N + E	81483	4268
125	200...250	2P + E	81490	13120
	380...415	3P + E	81494	13141
		3P + N + E	81495	13398

Also Available on Request:

- Patented FAST connect Plugs & Sockets - innovative cabling system that enables connection without stripping the conductor and with absolutely no screws required
- Extra Low Voltage Plugs & Sockets down to 50V

Please contact nearest Schneider Electric Sales Office or Customer Care for Reference and Prices

Note: For all above Reference MOQ = 1

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 27th, 2020

Panel Mounted Sockets - Angled



- PK PratiKa Screw Connect: same orientation of clamp's screws
- External impact strength: IK08
- Glow wire test: 850°C
- Conforms to IEC 60309-1 & IEC309-2

[In] Rated Current (A)	[Ue] Rated Operational Voltage (V)	Poles Description	Reference	Unit MRP [₹]
PratiKa Screw				
IP44				
16	200...250	2P + E	PKF16F423 <input checked="" type="checkbox"/>	468
	380...415	3P + E	PKF16F434	697
		3P + N + E	PKF16F435 <input checked="" type="checkbox"/>	743
32	200...250	2P + E	PKF32F423 <input checked="" type="checkbox"/>	830
	380...415	3P + E	PKF32F434	964
		3P + N + E	PKF32F435 <input checked="" type="checkbox"/>	960
IP67				
16	200...250	2P + E	PKF16F723 <input checked="" type="checkbox"/>	880
	380...415	3P + E	PKF16F734	1002
		3P + N + E	PKF16F735	1014
32	200...250	2P + E	PKF32F723	1145
	380...415	3P + E	PKF32F734	1339
		3P + N + E	PKF32F735 <input checked="" type="checkbox"/>	1360
PK (63A & 125A available in IP67 only)				
63	200...250	2P + E	81278	3759
	380...415	3P + E	81282 <input checked="" type="checkbox"/>	3764
		3P + N + E	81283 <input checked="" type="checkbox"/>	3838
125	200...250	2P + E	81290	12359
	380...415	3P + E	81294	12679
		3P + N + E	81295	12742

Panel Mounted Sockets - Straight



- PK PratiKa Screw Connect: same orientation of clamp's screws
- External impact strength: IK08
- Glow wire test: 850°C
- Conforms to IEC 60309-1 & IEC309-2

[In] Rated Current (A)	[Ue] Rated Operational Voltage (V)	Poles Description	Reference	Unit MRP [₹]
PratiKa Screw				
IP44				
16	200...250	2P + E	PKF16G423	529
	380...415	3P + E	PKF16G434	760
		3P + N + E	PKF16G435	796
32	200...250	2P + E	PKF32G423	840
	380...415	3P + E	PKF32G434	968
		3P + N + E	PKF32G435	1048
IP67				
16	200...250	2P + E	PKF16G723 <input checked="" type="checkbox"/>	886
	380...415	3P + E	PKF16G734	1002
		3P + N + E	PKF16G735	1014
32	200...250	2P + E	PKF32G723	1129
	380...415	3P + E	PKF32G734	1271
		3P + N + E	PKF32G735	1318
PK (63A & 125A available in IP67 only)				
63	200...250	2P + E	81678	3743
	380...415	3P + E	81682	3801
		3P + N + E	81683	3801
125	200...250	2P + E	81690	12600
	380...415	3P + E	81694	12679
		3P + N + E	81695	12742

Note: For all above Reference MOQ = 1

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 27th, 2020

Sockets with Interlock Switches - for guaranteed safety of operation

- Allows closure of main switch only when the plug is fully inserted in socket - when complete mechanical & electrical connection has occurred
- Plug removal is possible only when the switch is in "off" position

Wall Mounted Sockets with Interlock Switch Unika (w/o protection)



- Switch designed for use in AC 22A class applications
- Conforms to IEC 60309-1 & IEC 60309-2
- Rated operational voltage upto 415V
- Rated operational current upto 32A
- External impact strength: IK08
- Available in IP44 / IP65 versions
- Glow wire test: 750°C

[In] Rated Current (A)	[Ue] Rated Operational Voltage (V)	Poles Description	Reference	Unit MRP [₹]
IP44				
16	200...250	2P + E	83031	6353
	380...415	3P + E	83035	8794
32	200...250	3P + N + E	83036	8967
		2P + E	83042 <input checked="" type="checkbox"/>	8248
	380...415	3P + E	83046	9613
		3P + N + E	83047	9718
IP65				
16	200...250	2P + E	83081	6573
	380...415	3P + E	83085	9051
		3P + N + E	83086	9235
32	200...250	2P + E	83092	8615
	380...415	3P + E	83096	10343
		3P + N + E	83097	10343

Socket with Interlock Switch & DIN Rail Isoblock (4.5 modules)



- Switch designed for use in AC- 22A class applications
- Conforms to IEC 60309-1 & IEC 60309-2
- Provision to DIN mount 4.5 module device
- External impact strength: IK10
- Available in IP65 version
- Glow wire test: 850°C

[In] Rated Current (A)	[Ue] Rated Operational Voltage (V)	Poles Description	Reference	Unit MRP [₹]
16	200...250	2P + E	82754 <input checked="" type="checkbox"/>	7875
	380...415	3P + E	82758	9592
		3P + N + E	82759	9912
32	200...250	2P + E	83791 <input checked="" type="checkbox"/>	9324
	380...415	3P + E	83795	11036
		3P + N + E	83796	11109

Socket with Interlock Switch & DIN Rail Isoblock (6 modules)



- Switch designed for use in AC- 22A class applications
- Conforms to IEC 60309-1 & IEC 60309-2
- Provision to DIN mount 6 module device
- External impact strength: IK10
- Available in IP65 version
- Glow wire test: 850°C

[In] Rated Current (A)	[Ue] Rated Operational Voltage (V)	Poles Description	Reference	Unit MRP [₹]
32	200...250	2P + E	82766	12301
	380...415	3P + E	82770	14422
		3P + N + E	82771	14858
63	380...415	3P + E	82782	16574
		3P + N + E	82783	16627

Note: For all above Reference MOQ = 1

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 27th, 2020

ELECTRA Metal Clad Plugs & Sockets are specially designed incorporating the latest safety, quality and user friendly features.

Construction

- The casting is made from non-corroding die-cast aluminum alloy combining exceptional compactness with high strength
- The design/construction eliminates the possibility of mismatch in fitting of plugs in corresponding sockets
- The floating contacts in the sockets are self aligning and facilitates smooth plugging in without undue pressure (These can be easily removed for wiring)
- A provision for pilot pin facilitates mechanical interlocking in case of 63A ratings

Human Safety

Specially designed shroud to avoid accidental finger contact with plug-pins while inserting/removing the plug
Similarly, the contact tubes in sockets are deeply recessed to avoid human contact

- The earthing pins ensure that earth connection is made first and broken last, being longer than conducting pins
- The visible earth terminals facilitate easy checking of earth connection
- The cable grip to the plug is made very strong by providing a compression gland and by protecting it at the point of entry by a strong rubber guard

Applications

Industrial, Commercial & Domestic portable equipments like Hand/Power Tools, Industrial Ovens, Welding Sets, Mobile Generators, Furnaces, Ships, Office Machines, Refrigerators, Coolers, Air-Conditioners, Overhead Cranes, Chilling Cabinets, Tile Polishers and Sewing Machines

Plug



Rating (A)	Poles Description	Voltage (V)	MOQ	Reference	Unit MRP [₹]
10	2P	250	30	AP10 <input checked="" type="checkbox"/>	208
20	2P	250	30	AP20 <input checked="" type="checkbox"/>	218
20	3P	440	30	BP20 <input checked="" type="checkbox"/>	290
30	3P	440	20	BP30 <input checked="" type="checkbox"/>	529
63	3P+N+E	440	4	CP63 <input checked="" type="checkbox"/>	2394

Socket



Rating (A)	Poles Description	Voltage (V)	MOQ	Reference	Unit MRP [₹]
10	2P	250	30	AS10 <input checked="" type="checkbox"/>	218
20	2P	250	30	AS20 <input checked="" type="checkbox"/>	256
20	3P	440	30	BS20 <input checked="" type="checkbox"/>	326
30	3P	440	20	BS30 <input checked="" type="checkbox"/>	561
63	3P+N+E	440	4	CS63 <input checked="" type="checkbox"/>	2536

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 27th, 2020

Complete range of switches & sockets suitable for both indoor & outdoor applications like Kitchens, Swimming Pools, Landscape Gardens, Exterior Walls and Other Environmentally Challenged Locations.



56SW110LE-GY

Description	IP Rating	Reference	Unit LP [₹]
Surface Switches			
Single Pole Switches Less Enclosure			
1 Pole 250V 10A	IP66	56SW110LE-GY	2672
1 Pole 250V 16A	IP66	56SW116LE-GY	2504
1 Pole 250V 20A	IP66	56SW120LE-GY	3791
1 Pole 250V 32A	IP66	56SW132LE-GY	4478
Double Pole Switches Less Enclosure			
2 Pole 500V 16A	IP66	56SW216LE-GY	4326
2 Pole 500V 20A	IP66	56SW220LE-GY	4326
2 Pole 500V 32A	IP66	56SW232LE-GY	5024
2 Pole 500V 50A	IP66	56SW250LE-GY	5355
2 Pole 500V 63A	IP66	56SW263LE-GY	5891
Triple Pole Switches Less Enclosure			
3 Pole 500V 10A	IP66	56SW310LE-GY	4001
3 Pole 500V 16A	IP66	56SW316LE-GY	4174
3 Pole 500V 20A	IP66	56SW320LE-GY	4394
3 Pole 500V 32A	IP66	56SW332LE-GY	5124
3 Pole 500V 50A	IP66	56SW350LE-GY	5912
3 Pole 500V 63A	IP66	56SW363LE-GY	6862
Four Pole Switches Less Enclosure			
4 Pole 500V 20A	IP66	56SW420LE-GY	5801



66CV563-RG

Description	IP Rating	Reference	Unit LP [₹]
IP66 Industrial Combination Switch Sockets with Enclosure			
Single Pole Switches Less Enclosure			
500V, 63A with 4 pole switch and 63A 5 Pin Socket	IP66	66CV563-RG	77768
Plug Top 5 Pin 500V 63A	IP66	66P563-EO	23342

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 27th, 2020



56SO532LE-GY



56SO320LE-RO

Description	IP Rating	Reference	Unit LP [₹]
Surface Socket Outlets			
3 Pin Sockets Less Enclosure			
3 Pin 250V 16A Indian Standard	IP66	56SO316RP-LE-GY-EX	2519
3 Pin 250V 20A Round Pin	IP66	56SO320LE-GY	3659
3 Pin 250V 32A Round Pin	IP66	56SO332LE-GY	4037
4 Pin Sockets Less Enclosure			
4 Pin 500V 20A Round Pin	IP66	56SO420LE-GY	5413
4 Pin 500V 32A Round Pin	IP66	56SO432LE-GY	6473
4 Pin 500V 40A Round Pin	IP66	56SO440LE-GY	7523
4 Pin 500V 50A Round Pin	IP66	56SO450LE-GY	9959
5 Pin Sockets Less Enclosure			
5 Pin 500V 10A Round Pin	IP66	56SO510LE-GY	5849
5 Pin 500V 20A Round Pin	IP66	56SO520LE-GY	5849
5 Pin 500V 32A Round Pin	IP66	56SO532LE-GY	6946
5 Pin 500V 40A Round Pin	IP66	56SO540LE-GY	10022
5 Pin 500V 50A Round Pin	IP66	56SO550LE-GY	10290



56PA420-EO

Description	IP Rating	Reference	Unit LP [₹]
Plugs			
3 Pin Angle Plugs			
3 Pin 250V 16A Indian Standard	IP66	56PA316RP-GY-EX	1895
3 Pin 250V 20A Round Pin	IP66	56PA320-EO	3791
3 Pin 250V 32A Round Pin	IP66	56PA332-EO	4337
4 Pin Angle Plugs			
4 Pin 500V 20A Round Pin	IP66	56PA420-EO	4620
4 Pin 500V 32A Round Pin	IP66	56PA432-EO	4809
4 Pin 500V 40A Round Pin	IP66	56PA440-EO	5654
4 Pin 500V 50A Round Pin	IP66	56PA450-EO	5707
5 Pin Angle Plugs			
5 Pin 500V 10A Round Pin	IP66	56PA510-EO	4541
5 Pin 500V 20A Round Pin	IP66	56PA520-EO	4541
5 Pin 500V 32A Round Pin	IP66	56PA532-EO	5245
5 Pin 500V 40A Round Pin	IP66	56PA540-EO	5549
5 Pin 500V 50A Round Pin	IP66	56PA550-EO	5681
Combination Switch Socket Outlet			
IP66 Interlocked Switch Socket with Enclosure			
4 Pin 500V 20A Round Pin	IP66	56CVI420-GY	14028
4 Pin 500V 32A Round Pin	IP66	56CVI432-GY	15036
5 Pin 500V 20A Round Pin	IP66	56CVI520-GY	17141
5 Pin 500V 32A Round Pin	IP66	56CVI532-GY	17299
5 Pin 500V 40A Round Pin	IP66	56CVI540-GY	18926

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 27th, 2020



56DB2-GY



56DB4-GY

Description	IP Rating	Reference	Unit LP [₹]
Adaptable Enclosures with Gear Tray			
2 Gangpoints, 198X101X140mm	IP66	56DB2-GY	4730
3 Gangpoints, 294X101X140mm	IP66	56DB3-GY	6300
6 Gangpoints, 294X198X140mm	IP66	56DB6-GY	10411
Junction Boxes			
1 Gangpoint, 107X101X90mm	IP66	56JB1-GY	2155
2 Gangpoints, 204X101X90mm	IP66	56JB2-GY	3465
3 Gangpoints, 300X101X90mm	IP66	56JB3-GY	5198
4 Gangpoints, 204X198X90mm	IP66	56JB4-GY	6972

Description	Module Width	Reference	Unit LP [₹]
Switchgear Cover Assembly			
For 1,2,3 Pole MCB with 4 Pole RCD (max. 4M Width)	4	56CB4N-GY	4116

Description	No. of Gangs	Reference	Unit LP [₹]
Flush Surrounds			
Flush Surround	1	56FA1-GY	1407
Flush Surround	2	56FA2-GY	2027
Flush Surround	3	56FA3-GY	3192
Flush Surround	4	56FA4-GY	3192
Mounting Enclosures (Back Boxes)			
101X101X63mm	1	56E1-GY-EX	943
198X101X63mm	2	56E2-GY	2263
294X101X63mm	3	56E3-GY	3591
198X198X63mm	4	56E4-GY	4620
294X198X63mm	6	56E6-GY	7387
391X198X63mm	8	56E8-GY	9692
294X294X63mm	9	56E9-GY	10778
391X391X63mm	16	56E16-GY	17561

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 27th, 2020

SWITCH TO STYLE



Perfect solutions for the perfect you



Unica Pure



Clipsal X



Opale



Livia



ZENcelo



Avtar On



Neo



Ulti

Switch more than just lights. #Switch The Mood

ON / OFF

DIMMING

ALUMINIUM

ANTHRACITE




MY FAVORITE


WHITE SHADES OR
COLOR CHANGES

Wiser Odace™ LIGHTING. One Light, Many Moods!


White kit
Smart LED



Color kit
Smart LED
colors



Aroma kit
Sensorial
light



Change the mood?
There's also an app for that!

Your mood is now at your fingertips, with the 'Wiser Lighting' app.

Bluetooth connectivity:
Take control of the mood, wirelessly

Schedules: Set a wake-up light or a night light or presence simulator

Unlimited Colour Options:
Choose from up to 16 million colours

Disco mode: Let your lights flash and flicker to music

Aroma diffuser: Soak in the energy of therapeutic scents

Light grouping: Several lights can be group-activated by the same preset



Wiser Odace™ LIGHTING Product	Reference	Unit MRP [₹]
White Kit	S527578W	6825
Colour Kit	S527578C	7875
Aroma Kit	S527578A	9975
White Switch	S520578	5250
Aluminium Switch	S530578	5775
Anthracite Switch	S540578	5775

*Contact Schneider Electric Sales Representative for more details

W.E.F. January 27th, 2020

LIVIA - Switch to the extra-ordinary



- **Sleek Design** - 2.7mm thin plate with curved body to minimize dust accumulation
- **Stylish Looks** - Soft white texture with glossy finish
- **Robust & Strong** - Innovative honeycomb designed grid plate for extra rigidity
- **Reliable** - High grade heat-resistant polycarbonate and laser marked wiring diagrams
- **Easy to Install** - Snap-In / Snap-Out front loading modules and Bigger terminal holes
- **Green & Eco Friendly** - RoHS compliant range



P1001



P1081



P1002



P1025



P2005



P2106



P3012



P3200



P6005



P5001



P0703



P0704

Description	Reference for White	Unit MRP [₹]	Reference for Pebble Grey	Unit MRP [₹]
Switches				
10AX 1 way switch	P1001	110	P1001_DG	150
10AX 1 way switch with Indicator lamp	P1081	205	P1081_DG	238
10AX 2 way switch	P1002	167	P1002_DG	197
16AX 1 way switch	P1101	181	P1101_DG	216
16AX 1 way switch with Indicator lamp	P1181	253	P1181_DG	293
16AX 1 way switch (2M)	P1121	259	P1121_DG	302
16AX 2 way switch (1M)	P1102	238	P1102_DG	278
20A 1 way switch (1M)	P11201	201	P11201_DG	220
20A DP switch with Indicator lamp	P1120	404	P1120_DG	475
32A DP switch with Indicator lamp	P1132	590	P1132_DG	706
Motor Starter Switch				
25A Motor Starter switch	P1186MS	957	P1186MS_DG	1119
Bell Push				
10A Bell Push switch	P1005	186	P1005_DG	216
10A Bell Push switch (2M)	P1025	242	P1025_DG	282
10A bell push switch with Indicator	P1085	218	P1085_DG	255
10A bell push switch with Indicator (2M)	P1086	282	P1086_DG	330
Sockets				
10A, 2/3pin Socket Outlet with Shutter	P2005	200	P2005_DG	240
10A/16A 3-pin Socket Outlet with Shutter	P2106	300	P2106_DG	357
10A/25A 3 Pin Socket Outlet with Shutter	P2207	413	P2207_DG	484
13A Multi Pin Socket Outlet with Shutter	P2010	319	P2010_DG	381
Fan Regulators & Dimmers				
Step type fan regulator (1M)	P3100	567	P3100_DG	666
Step type fan regulator (2M)	P3200	672	P3200_DG	803
Dimmer 400W (1M)	P3004	980	P3004_DG	1182
Dimmer 1000W (2M)	P3012	1284	P3012_DG	1503
Accessories				
RJ 11 Telephone outlet with shutter	P4011	165	P4011_DG	197
RJ 45 Cat 5e Data outlet with shutter	P4045	563	P4045_DG	659
RJ 45 Cat6 Data outlet with shutter	P4046	603	P4046_DG	728
TV socket	P4500	158	P4500_DG	188
Blank off unit (1M)	P0001	45	P0001_DG	54
Foot Lamp with LED	P7001	653	P7001_DG	764
Cord Outlet	P4550	169	P4550_DG	199
LED Phase Indicator	P5001	270	-	-
Hotel Series				
DND Switch	P6002	193	P6002_DG	223
MMR Switch	P6004	193	P6004_DG	223
DND & MMR Indicator	P6013	618	P6013_DG	725
Key Card Switch - Electronic	P6005	3542	P6005_DG	4146
Cover Plates				
1-2 M Grid & 1 M Cover Frame	P0701	111	P0701_DG	126
1-2 M Grid & 2 M Cover Frame	P0702	111	P0702_DG	131
3 M Grid & 3 M Cover Frame	P0703	141	P0703_DG	163
4 M Grid & 4 M Cover Frame	P0704	163	P0704_DG	190
6 M Grid & 6 M Cover Frame	P0706	205	P0706_DG	250
8 M Grid & 8 M Cover Frame - Horizontal	P0708	270	P0708_DG	327
8 M Grid & 8 M Cover Frame - Square	P0709	312	P0709_DG	368
12 M Grid & 12 M Cover Frame	P0712	379	P0712_DG	445
18 M Grid & 18 M Cover Frame	P0718	546	P0718_DG	642

Please contact Customer Care Center for Stockable and Non stockable status of references.

☑ NORMAL STOCK ITEMS

W.E.F. January 27th, 2020

Clipsal X - As Stylish As Your World



Xtra STYLE

- Trendy Dual tone colour and finish
- Contemporary sloped design that blends seamlessly with the wall
- Vibrant and youthful colours and textured finishes that can stand out or blend in
- Textured finishes to match most Indian decors – Wood, Slate & Leather

Xtra STRONG

- Made to last for more than 1 Million Clicks
- 10A rated switches to enable Grouping – add as many loads as you want
- UV Stabilized to avoid decoloring

Xtra COMFORT

- Least noise level for unobtrusive switching
- Smooth finish which avoids light reflection off the surface
- Glossy Band making it Easy to Clean
- Large plate overhang to hide wall & paint imperfections

Description	Reference for White	Unit MRP (₹)	Reference for Coke Grey	Unit MRP (₹)
Switches				
10A 1 Way Switch	CPX101SW1M_WE	126	CPX101SW1M_GY	160
10A 1 Way Switch with Indicator	CPX101SWL1M_WE	202	CPX101SWL1M_GY	240
10A 2 Way Switch	CPX102SW1M_WE	180	CPX102SW1M_GY	218
16A 1 Way Switch	CPX161SW1M_WE	218	CPX161SW1M_GY	256
16A 1 Way Switch with Indicator	CPX161SWL1M_WE	286	CPX161SWL1M_GY	338
16A 2 Way Switch	CPX162SW1M_WE	276	CPX162SW1M_GY	326
10A 1 Way Switch (2M)	CPX101SW2M_WE	228	CPX101SW2M_GY	272
16A 1 Way Switch (2M)	CPX161SW2M_WE	292	CPX161SW2M_GY	348
10A 1W Switch with Indicator (2M)	CPX101SWL2M_WE	276	CPX101SWL2M_GY	330
16A 1W Switch with Indicator (2M)	CPX161SWL2M_WE	336	CPX161SWL2M_GY	398
20A DP Switch with Indicator (2M)	CPX20DP2M_WE	484	CPX20DP2M_GY	564
32A DP Switch with Indicator (2M)	CPX32DP2M_WE	704	CPX32DP2M_GY	1066
Motor Starter Switch				
25A Motor Starter Switch	CPXMTSTART2M_WE	798	CPXMTSTART2M_GY	1478
Bell Press				
6A Bell Push	CPX6BP1M_WE	202	CPX6BP1M_GY	232
6A Bell Push (2M)	CPX6BP2M_WE	294	CPX6BP2M_GY	344
6A Bell Push with Indicator	CPX6BPL1M_WE	268	CPX6BPL1M_GY	320
6A Bell Push with Indicator (2M)	CPX6BPL2M_WE	320	CPX6BPL2M_GY	364
Sockets				
6A 2/3P Socket with Shutter	CPX6SK3P_WE	220	CPX6SK3P_GY	260
6A Uni Socket with Shutter	CPX6USK3P_WE	272	CPX6USK3P_GY	312
6A/16A 3P Socket with Shutter	CPX616SK_WE	348	CPX616SK_GY	392
13A Multi Pin Socket with Shutter	CPX13INSK_WE	330	CPX13INSK_GY	394
13A BS Socket with Shutter	CPX13FPSK_WE	464	CPX13FPSK_GY	556
20A 3P Socket with Shutter	CPX20SK3P2M_WE	416	CPX20SK3P2M_GY	500
25A 3P Socket with Shutter	CPX25SK3P2M_WE	448	CPX25SK3P2M_GY	510
2 Pin Socket with Shutter	CPX6SK2P1M_WE	178	CPX6SK2P1M_GY	206
5 Pin Socket with Shutter	CPX6SK5P2M_WE	290	CPX6SK5P2M_GY	342
Fan Regulators and Dimmers				
5-Step Fan Regulator (2M)	CPX5STFAN2M_WE	772	CPX5STFAN2M_GY	924
4-Step Fan Regulator (1M), White	CPX4STFAN1M_WE	674	CPX4STFAN1M_GY	808
400W Dimmer (1M)	CPXDIM1M_WE	728	CPXDIM1M_GY	830
400W Dimmer (2M)	CPXDIM2M_WE	1076	CPXDIM2M_GY	1290
1200W Dimmer	CPXDIM2M_1200_WE	1386	CPXDIM2M_1200_GY	1662
USB Chargers				
2.1A USB Charger (1M)	CPX21USB1P1M_WE	1314	CPX21USB1P1M_GY	1552
2.1A USB Charger (2M)	CPX21USB2P2M_WE	1850	CPX21USB2P2M_GY	2544
Accessories				
RJ11 Tel Outlet, No Shutter	CPXRJ11NS1M_WE	180	CPXRJ11NS1M_GY	218
RJ11 Tel Outlet with Shutter	CPXRJ11_1M_WE	182	CPXRJ11_1M_GY	218
Twin RJ11 Tel Outlets (1M)	CPXRJ11TW1M_WE	270	CPXRJ11TW1M_GY	330
RJ45 Data Outlet with Shutter	CPXRJ451M_WE	622	CPXRJ451M_GY	730
TV Socket	CPXTVCOAX1M_WE	170	CPXTVCOAX1M_GY	208
RJ45 Cover for Keystone Type	CPXRJ45KS1M_WE	204	CPXRJ45KS1M_GY	250
Gripped Cord Outlet	CPXCOR1M_WE	194	CPXCOR1M_GY	222
Foot Light with LED	CPXFTLP2M_WE	1388	CPXFTLP2M_GY	1636
Buzzer	CPXBUZZ2M_WE	798	CPXBUZZ2M_GY	836
Blank Off Unit (1M)	CPXBLANK1M_WE	48	CPXBLANK1M_GY	64
Hotel Series				
DND Indicator	CPXDNDIN1M_WE	444		
DND Switch	CPXDNDSW1M_WE	348	CPXDNDSW1M_GY	410
MMR Indicator	CPXMMRIN1M_WE	444		
MMR Switch	CPXMMRSW1M_WE	348	CPXMMRSW1M_GY	410
20A Electronic Keycard Switch	CPXKEYCARDSW_WE	3864	CPXKEYCARDSW_GY	4558
Shaver Socket Horizontal	CPXSHAVER_WE	3994	CPXSHAVER_GY	4712

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 27th, 2020



Description	Reference for White	Unit MRP (₹)	Reference for Coke Grey	Unit MRP (₹)
Cover Plates				
1M or 2M Grid & 1M Cover Frame	CPXCP1M_WE	118	CPXCP1M_GY	201
1M or 2M Grid & 2M Cover Frame	CPXCP2M_WE	128	CPXCP2M_GY	218
3M Grid & 3M Cover Frame	CPXCP3M_WE	146	CPXCP3M_GY	248
3M Uni Grid & 3M Cover Frame	CPXCP3MU_WE	166	CPXCP3MU_GY	282
4M Grid & 4M Cover Frame	CPXCP4M_WE	172	CPXCP4M_GY	292
6M Grid & 6M Cover Frame	CPXCP6M_WE	250	CPXCP6M_GY	425
8M Grid & 8M Cover Frame, Horizontal	CPXCP8ML_WE	310	CPXCP8ML_GY	527
8M Grid & 8M Cover Frame, Square	CPXCP8MSQ_WE	320	CPXCP8MSQ_GY	622
9M Cover Frame	CPXCP9M_WE	330	CPXCP9M_GY	532
12M Grid & 12M Cover Frame	CPXCP12M_WE	362	CPXCP12M_GY	731
16M Cover Frame	CPXCP16M_WE	436	CPXCP16M_GY	710
18M Grid & 18M Cover Frame	CPXCP18M_WE	560		

Description	Reference for Butterscotch	Reference for Terracota	Reference for Metallic Copper	Reference for Navy Blue	Reference for Charcoal Black	Unit MRP (₹)
Cover Plates						
1M or 2M Grid & 1M Cover Frame	CPXCP1M_BT	CPXCP1M_TC	CPXCP1M_MC	CPXCP1M_NB	CPXCP1M_CB	224
1M or 2M Grid & 2M Cover Frame	CPXCP2M_BT	CPXCP2M_TC	CPXCP2M_MC	CPXCP2M_NB	CPXCP2M_CB	243
3M Grid & 3M Cover Frame	CPXCP3M_BT	CPXCP3M_TC	CPXCP3M_MC	CPXCP3M_NB	CPXCP3M_CB	277
3M Uni Grid & 3M Cover Frame	CPXCP3MU_BT	CPXCP3MU_TC	CPXCP3MU_MC	CPXCP3MU_NB	CPXCP3MU_CB	315
4M Grid & 4M Cover Frame	CPXCP4M_BT	CPXCP4M_TC	CPXCP4M_MC	CPXCP4M_NB	CPXCP4M_CB	327
6M Grid & 6M Cover Frame	CPXCP6M_BT	CPXCP6M_TC	CPXCP6M_MC	CPXCP6M_NB	CPXCP6M_CB	475
8M Grid & 8M Cover Frame, Horizontal	CPXCP8ML_BT	CPXCP8ML_TC	CPXCP8ML_MC	CPXCP8ML_NB	CPXCP8ML_CB	589
8M Grid & 8M Cover Frame, Square	CPXCP8MSQ_BT	CPXCP8MSQ_TC	CPXCP8MSQ_MC	CPXCP8MSQ_NB	CPXCP8MSQ_CB	695
12M Grid & 12M Cover Frame	CPXCP12M_BT	CPXCP12M_TC	CPXCP12M_MC	CPXCP12M_NB	CPXCP12M_CB	817
9M Grid & 9M Cover Frame					CPXCP9M_CB	806

Description	Reference for Slate	Reference for Sheesham	Reference for Metallic Rich Leather	Unit MRP (₹)
Texture Plates				
1M or 2M Grid & 1M Cover Frame	CPXCP1M_SL	CPXCP1M_SH	CPXCP1M_RL	354
1M or 2M Grid & 2M Cover Frame	CPXCP2M_SL	CPXCP2M_SH	CPXCP2M_RL	384
3M Grid & 3M Cover Frame	CPXCP3M_SL	CPXCP3M_SH	CPXCP3M_RL	438
3M Uni Grid & 3M Cover Frame	CPXCP3MU_SL	CPXCP3MU_SH	CPXCP3MU_RL	498
4M Grid & 4M Cover Frame	CPXCP4M_SL	CPXCP4M_SH	CPXCP4M_RL	516
6M Grid & 6M Cover Frame	CPXCP6M_SL	CPXCP6M_SH	CPXCP6M_RL	750
8M Grid & 8M Cover Frame, Horizontal	CPXCP8ML_SL	CPXCP8ML_SH	CPXCP8ML_RL	930
8M Grid & 8M Cover Frame, Square	CPXCP8MSQ_SL	CPXCP8MSQ_SH	CPXCP8MSQ_RL	1098
12M Grid & 12M Cover Frame	CPXCP12M_SL	CPXCP12M_SH	CPXCP12M_RL	1290

Description	Reference for Blue Sapphire	Reference for Pink Flamingo	Unit MRP (₹)
Dual Colour Plates			
1M or 2M Grid & 1M Cover Frame	CPXCP1M_BS	CPXCP1M_PF	295
1M or 2M Grid & 2M Cover Frame	CPXCP2M_BS	CPXCP2M_PF	320
3M Grid & 3M Cover Frame	CPXCP3M_BS	CPXCP3M_PF	365
3M Uni Grid & 3M Cover Frame	CPXCP3MU_BS	CPXCP3MU_PF	415
4M Grid & 4M Cover Frame	CPXCP4M_BS	CPXCP4M_PF	430
6M Grid & 6M Cover Frame	CPXCP6M_BS	CPXCP6M_PF	625
8M Grid & 8M Cover Frame, Horizontal	CPXCP8ML_BS	CPXCP8ML_PF	775
8M Grid & 8M Cover Frame, Square	CPXCP8MSQ_BS	CPXCP8MSQ_PF	915
12M Grid & 12M Cover Frame	CPXCP12M_BS	CPXCP12M_PF	1075

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 27th, 2020

Opale - Switches with Satin Finish



- **Patented Smooth Satin Finish** - Scratch Resistant, Easy to Clean & Prevents light reflection off surface
- **Safe to Use** - High grade flame retardant polycarbonate material & Child Proof sockets with unique shutter design
- **Hassle Free Operation** - 'Soft sound' switches with Gold plated Data Socket contacts for better connection
- **Easy to Install** - Snap-In / Snap-Out front loading modules and terminals with indented screws
- **Green & Eco Friendly** - RoHS compliant range



X1001WH



X1286WH



X1186WH



X1005WH



X1085WH



X2005WH



X2106WH



X2010WH



X3200WH



X3104WH



X4010WH



X7003WH



X5001



X5002

Description	Reference for White	Unit MRP [₹]	Reference for Coke Grey	Unit MRP [₹]
Switches				
6A 1 way switch	X1001WH	141	AAKY1001	178
6A 1 way switch with Indicator lamp	X1081WH	223	AAKY1081	265
6A 2 way switch	X1002WH	193	AAKY1002	240
16A 1 way switch	X1101WH	225	AAKY1101	282
16A 1 way switch with Indicator lamp	X1181WH	315	AAKY1181	372
16A 2 way switch	X1102WH	304	AAKY1102	360
6A 1 way switch (2M)	X1021WH	246	AAKY1021	297
16A 1 way switch (2M)	X1121WH	321	AAKY1121	383
6A 1 way switch with Indicator (2M)	X1028WH	302	AAKY1028	364
16A 1 way switch with Indicator (2M)	X1128WH	370	AAKY1128	439
20A DP switch with Indicator (2M)	X1286WH	523	AAKY1286	621
32A DP switch (2M)	AAKX1232	777	-	-
Motor Starter Switch				
25A Motor Starter switch	X1186WH	1359	AAKY1186	1632
Bell Push				
6A Bell Push	X1005WH	218	AAKY1005	268
6A Bell Push (2M)	X1025WH	312	AAKY1025	379
6A Bell Push with Indicator	X1085WH	290	AAKY1085	353
6A Bell Push with Indicator (2M)	X1086WH	330	AAKY1086	400
Sockets				
6A 2/3 Pin Socket Outlet with Shutter	X2005WH	237	AAKY2005	287
6A "Uni Socket" Outlet with Shutter	X2007WH	294	AAKY2007	342
6A/16A 3-Pin Socket Outlet with Shutter	X2106WH	363	AAKY2106	432
13A Multi Pin Socket Outlet with Shutter	X2010WH	357	AAKY2010	434
16A 3-Pin Socket Outlet with Shutter	X2103WH	409	AAKY2103	490
13A BS flat Pin Socket Outlet with Shutter	X2403WH	511	AAKY2403	612
20A 3 Pin Socket Outlet with Shutter	X2206WH	458	AAKY2206	550
25A 3 Pin Socket Outlet with Shutter	X2207WH	494	AAKY2207	593
Fan Regulators & Dimmers				
Step type fan regulator (2M)	X3200WH	852	AAKY3200	1019
Dimmer 400W (1M)	X3104WH	764	AAKY3104	916
Dimmer 400W (2M)	X3004WH	1188	AAKY3004	1423
Dimmer 1200W	X3012WH	1530	AAKY3012	1835
USB Chargers				
2 Gang USB Charger - 2.1A (2M)	X7003WH	2357	AAKY7003	2809
Accessories				
RJ11 Telephone outlet (no shutter)	X4010WH	197	AAKY4010	240
RJ11 Telephone outlet with shutter	X4011WH	195	AAKY4011	240
Twin RJ11 Telephone outlets (no shutter) (1M)	X4020WH	297	AAKY4020	364
RJ45 Data Outlet with shutter	X4045WH	672	AAKY4045	805
TV Socket	X4500WH	183	AAKY4500	229
RJ45 Cover for Key Stone Type	X4050WH	225	AAKY4050	274
Gripped Cord Outlet	X4550WH	203	AAKY4550	244
Buzzer	X3300WH	835	AAKY3300	922
Blank off unit (1M)	X0001WH	51	AAKY0001	68
Neon Phase Indicator (Red)	X5001	315	-	-
Neon Phase Indicator (Green)	X5002	315	-	-
Neon Phase Indicator (Yellow)	X5003	315	-	-

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 27th, 2020

Opale - Switches with Satin Finish



AAKX6002 + AAKX6004 + X0702




AAKX6006 + X0703

Description	Reference	Unit MRP [₹]
Hotel Series*		
DND Panel	AAKX6001	490
DND Switch	AAKX6002	383
MMR Panel	AAKX6003	464
MMR Switch	AAKX6004	383
Key Tag Switch (Mechanical Type 20 A)	AAKX6005	999
Shaver Socket	AAKX6006	4408

*Available in white colour only



X0733WH



AAKX0744



AAKX0754

Description	Reference for White	Unit MRP [₹]	Reference for Coke Grey	Unit MRP [₹]	Reference for Matt Silver	Unit MRP [₹]	Reference for Matt Gold	Unit MRP [₹]
Cover Plates								
1-2 M Grid & 1 M Cover Frame	X0701	128	AAKY0801	156	AAKX0741	302	AAKX0751	302
1-2 M Grid & 2 M Cover Frame	X0702	135	AAKY0802	163	AAKX0742	325	AAKX0752	325
3 M Grid & 3 M Cover Frame	X0703	161	AAKY0803	195	AAKX0743	389	AAKX0753	389
3 M Universal Grid & 3 M Cover Frame	X0733WH	212	AAKY0833	253	AAKX0744	389	AAKX0754	389
4 M Grid & 4 M Cover Frame	X0704	188	AAKY0804	231	AAKX0745	464	AAKX0755	464
6 M Grid & 6 M Cover Frame	X0706	261	AAKY0806	310	AAKX0746	574	AAKX0756	574
8 M Grid & 8 M Cover Frame - Horizontal	X0708	340	AAKY0808	404	AAKX0747	749	AAKX0757	749
8 M Grid & 8 M Cover Frame - Square	X0709	402	AAKY0809	482	AAKX0748	749	AAKX0758	749
12 M Grid & 12 M Cover Frame	X0712	473	AAKY0812	565	AAKX0749	1023	AAKX0759	1023
18 M Grid & 18 M Cover Frame	AAKX0718	616	-	-	-	-	-	-

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 27th, 2020

Unica Pure - Irresistibly Beautiful



Wood



Glass

Irresistibly Beautiful

- Authentic finishes - developed from the high quality natural material
- Ingenious Design - Demarcated dolly depicting clear on/off mode of the switch
- Modish Colors - perfectly gel with neutral, accent wall colors and blends perfectly with any decor

Irresistibly Safe & Sturdy

- Self Piercing Terminal - ensuring completely safe, robust and fast installation
- Facile & Guarded Technology - reduces tension in the switch rocker & increases the longevity of the switch (1Mn+ clicks)
- Binate & Insulated Gridplate - Robust, rigid & shock proof gridplate,

Irresistibly Easy

- Key Hole Feature - Angular and linear adjustments of the gridplate can be easily achieved
- Revolutionary Ease of Mounting with Indicators & Markings

Irresistibly Sustainable

- Green Premium - Complies to HIGHEST INTERNATIONAL STANDARD of Green
- Certification for manufactured products (RoHS, REACH, PEP, EoLI) and is 100% Recyclable

Irresistibly Innovative

- Future Ready - Features of Voice & Mobile control to fit with smart homes

Irresistibly Versatile

- One Stop Shop - Extensive range covering residential, office, commercial or hospitality



Polar White



Volcanic Grey



Sandy Beige



Mocha Brown



Pearl Black



Aqua Glass



Pewter Grey



Rhodium Black



Oak

Description	Reference for Polar White	Unit LP [₹]	Reference for Volcanic Grey	Unit LP [₹]
6A Switches				
6AX 1 Way Switch	UNS61SW1M_WE	175	UNS61SW1M_GY	203
6AX 1 Way Switch With Indicator	UNS61SWL1M_WE	258	UNS61SWL1M_GY	303
6AX 2 Way Switch	UNS62SW1M_WE	222	UNS62SW1M_GY	248
6A Intermediate Switches				
10AX Intermediate Switch	UNS10SW1M_WE	945	UNS10SW1M_GY	1100
16AX 1 Way Switch	UNS161SW1M_WE	258	UNS161SW1M_GY	303
16AX 1 Way Switch With Indicator	UNS161SWL1M_WE	310	UNS161SWL1M_GY	361
16AX 2 Way Switch, Polar White	UNS162SW1M_WE	327	UNS162SW1M_GY	385
16A Master Switch, 2 Way, With Locator & Label	UNS162MSWL1M_WE	756	UNS162MSWL1M_GY	894
Double Pole Switches				
20A Double Pole Switch With Indicator	UNS20DP2M_WE	614	UNS20DP2M_GY	722
32A Double Pole Switch With Indicator	UNS32DP2M_WE	938	UNS32DP2M_GY	1119
Motor Starter Switch				
Motor Starter	UNSMSTART2M_WE	1285	UNSMSTART2M_GY	1521
Bell Switches				
6A Bellpress, 1M	UNS6BP1M_WE	230	UNS6BP1M_GY	269
6A Bellpress With Indicator, 1M	UNS6BPL1M_WE	304	UNS6BPL1M_GY	361
6A Bellpress, 2M, Polar White	UNS6BP2M_WE	301	UNS6BP2M_GY	354
6A Bellpress With Indicator, 2M	UNS6BPL2M_WE	372	UNS6BPL2M_GY	435
6A Sockets				
6A 3 Pin Universal Socket	UNS6SK3P2M_WE	313	UNS6SK3P2M_GY	361
6A 2 Pin Socket	UNS6SK2P1M_WE	297	UNS6SK2P1M_GY	343
6A 5 Pin Socket	UNS6SK5P2M_WE	330	UNS6SK5P2M_GY	385
6/ 16A Sockets				
6/16A Socket	UNS616SK2M_WE	383	UNS616SK2M_GY	476
20A & 25A Sockets				
20A 3 Pin Socket	UNS20SK3P2M_WE	491	UNS20SK3P2M_GY	568
25A 3 Pin Socket	UNS25SK3P2M_WE	516	UNS25SK3P2M_GY	602
International Sockets				
13A International Socket with Shutter	UNS13INTSK2M_WE	469	UNS13INTSK2M_GY	545

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 27th, 2020



Polar White



Volcanic Grey



Sandy Beige



Mocha Brown



Pearl Black



Aqua Glass



Pewter Grey



Rhodium Black



Oak

Description	Reference for Polar White	Unit LP [₹]	Reference for Volcanic Grey	Unit LP [₹]
USB Chargers				
2.1A 5V USB Charger, 2 Module	UNS21USB2P2M_WE	2355	UNS21USB2P2M_GY	2784
2.1A 5V USB Charger, 1 Module	UNS21USB1P1M_WE	1770	UNS21USB1P1M_GY	2097
Blank Plates				
Single Module Blank Plate	UNSBANK1M_WE	55	UNSBANK1M_GY	62
Fan Regulators				
4 Steps 360 Deg Fan Regulator, 1M	UNS4STFAN1M_WE	653	UNS4STFAN1M_GY	779
5 Steps 360 Deg Fan Regulator, 2M	UNS5STFAN2M_WE	1066	UNS5STFAN2M_GY	1203
Dimmers				
400W Dimmer for Incandescent, 1M	UNSDIM1M_WE	969	UNSDIM1M_GY	1449
100W Dimmer for LED, 1M	UNSLDIDIM1M_WE	3431	UNSLDIDIM1M_GY	3953
Emergency Light Indicator				
Emergency Light Module*	UNSEMERGENCY2M_WE	7000	-	-
Network, Connectivity & Media Series				
RJ 11 (WITH Shutter)	UNSRJ11_1M_WE	214	UNSRJ11_1M_GY	252
RJ 45 (WITH Shutter), Cat 6	UNSRJ45_1M_WE	779	UNSRJ45_1M_GY	903
TV Socket Coaxial	UNSTVCOAX1M_WE	221	UNSTVCOAX1M_GY	263
Volume Control	UNSVOLCTRL2M_WE	1657	UNSVOLCTRL2M_GY	1940
HDMI	UNSHDMI_WE	1363	UNSHDMI_GY	1593
TV Socket Digital (F-Connector)	UNSCPTVDIG1M_WE	234	UNSCPTVDIG1M_GY	276
Hotel Series*				
Skirt Light with LED, 2M	UNSSKTLT2M_WE	911	UNSSKTLT2M_GY	1066
Cord Outlet	UNSCORD1M_WE	270	UNSCORD1M_GY	300
Door Chime	UNSCHIME2M_WE	378	-	-
DND / MMR Indicator	UNSDM1M	1031	-	-
DND Switch	UNSDNDSW1M_WE	410	UNSDNDSW1M_GY	500
MMR Switch	UNSMMSRW1M_WE	410	UNSMMSRW1M_GY	500
Electronic Key Card Switch	UNSKKEYCARDSW_WE	5500	UNSKKEYCARDSW_GY	6359
Curtain Control Switch	UNSCURTAINSW2M_WE	653	UNSCURTAINSW2M_GY	756
Shaver Socket	UNSSHAYER_WE	5444	UNSSHAYER_GY	5937
PIR Motion Sensor*	UNSPIR_WE	7150	-	-
4 Sockets + 1 Switch Prewired, 9M	UNS4SK1SW9M_WE	1959	-	-
1 Socket + 1 Switch Prewired, 3M, Polar White	UNS1SK1SW3M_WE	1238	-	-

Description	Reference	Unit LP [₹]
Neon Phase Indicator		
Phase Indicator, Red	UNSPHASER1M	343
Phase Indicator, Green	UNSPHASEG1M	343
Phase Indicator, Yellow	UNSPHASEY1M	343

* coming soon

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 27th, 2020

Description	Reference for Aqua Glass	Unit LP [₹]	Reference for Pearl Black Glass	Unit LP [₹]
-------------	--------------------------	-------------	---------------------------------	-------------

Cover Plates

1 Module Glass Surround and Gridplate	UNPCP1M_GW	1143	UNPCP1M_GB	1329
2 Module Glass Surround and Gridplate	UNPCP2M_GW	1270	UNPCP2M_GB	1477
3 Module Glass Surround and Gridplate	UNPCP3M_GW	1440	UNPCP3M_GB	1624
4 Module Glass Surround and Gridplate	UNPCP4M_GW	1524	UNPCP4M_GB	1772
6 Module Glass Surround and Gridplate	UNPCP6M_GW	2667	UNPCP6M_GB	3101
8 Module Glass Surround and Gridplate, Linear	UNPCP8ML_GW	3005	UNPCP8ML_GB	3495
8 Module Glass Surround and Gridplate, Square	UNPCP8MSQ_GW	3810	UNPCP8MSQ_GB	4430
12 Module Glass Surround and Gridplate	UNPCP12M_GW	4698	UNPCP12M_GB	5463

Description	Reference for Pewter Grey Metal	Unit LP [₹]	Reference for Rhodium Black Metal	Unit LP [₹]
-------------	---------------------------------	-------------	-----------------------------------	-------------

Cover Plates

1 Module Metal Surround and Gridplate	UNPCP1M_ML	1856	UNPCP1M_MD	1856
2 Module Metal Surround and Gridplate	UNPCP2M_ML	2046	UNPCP2M_MD	2046
3 Module Metal Surround and Gridplate	UNPCP3M_ML	2338	UNPCP3M_MD	2338
4 Module Metal Surround and Gridplate	UNPCP4M_ML	2474	UNPCP4M_MD	2474
6 Module Metal Surround and Gridplate	UNPCP6M_ML	4306	UNPCP6M_MD	4306
8 Module Metal Surround and Gridplate, Linear	UNPCP8ML_ML	4829	UNPCP8ML_MD	4829
8 Module Metal Surround and Gridplate, Square	UNPCP8MSQ_ML	6138	UNPCP8MSQ_MD	6138
12 Module Metal Surround and Gridplate	UNPCP12M_ML	7589	UNPCP12M_MD	7589

Description	Reference for Oak Wood	Unit LP [₹]
-------------	------------------------	-------------

Real Material Cover Plates

1 Module Wood Surround and Gridplate	UNPCP1M_WD	1825
2 Module Wood Surround and Gridplate	UNPCP2M_WD	1932
3 Module Wood Surround and Gridplate	UNPCP3M_WD	2389
4 Module Wood Surround and Gridplate	UNPCP4M_WD	2763
6 Module Wood Surround and Gridplate	UNPCP6M_WD	3931
8 Module Wood Surround and Gridplate, Linear	UNPCP8ML_WD	4734
8 Module Wood Surround and Gridplate, Square	UNPCP8MSQ_WD	5668
12 Module Wood Surround and Gridplate	UNPCP12M_WD	7524

Description	Reference for Painted Sandy Biege	Unit LP [₹]	Reference for Painted Mocha Brown	Unit LP [₹]	Reference for Molded Polar White	Unit LP [₹]	Reference for Molded Volcanic Grey	Unit LP [₹]
-------------	-----------------------------------	-------------	-----------------------------------	-------------	----------------------------------	-------------	------------------------------------	-------------

Cover Plates

1 Module Plastic Surround and Gridplate	UNSCP1M_CL	316	UNSCP1M_CD	316	UNSCP1M_WE	173	UNSCP1M_GY	242
2 Module Plastic Surround and Gridplate	UNSCP2M_CL	351	UNSCP2M_CD	351	UNSCP2M_WE	193	UNSCP2M_GY	269
3 Module Plastic Surround and Gridplate	UNSCP3M_CL	401	UNSCP3M_CD	403	UNSCP3M_WE	221	UNSCP3M_GY	307
4 Module Plastic Surround and Gridplate	UNSCP4M_CL	421	UNSCP4M_CD	421	UNSCP4M_WE	232	UNSCP4M_GY	328
6 Module Plastic Surround and Gridplate	UNSCP6M_CL	735	UNSCP6M_CD	738	UNSCP6M_WE	405	UNSCP6M_GY	566
8 Module Plastic Surround and Gridplate, Linear	UNSCP8ML_CL	834	UNSCP8ML_CD	833	UNSCP8ML_WE	456	UNSCP8ML_GY	633
8 Module Plastic Surround and Gridplate, Square	UNSCP8MSQ_CL	1053	UNSCP8MSQ_CD	1053	UNSCP8MSQ_WE	553	UNSCP8MSQ_GY	807
9 Module Plastic Surround and Gridplate*	-	-	-	-	UNSCP9M_WE	701	UNSCP9M_GY	1076
12 Module Plastic Surround and Gridplate	UNSCP12M_CL	1316	UNSCP12M_CD	1318	UNSCP12M_WE	778	UNSCP12M_GY	1344
16 Module Plastic Surround and Gridplate	UNSCP16M_CL	1785	UNSCP16M_CD	1785	UNSCP16M_WE	959	UNSCP16M_GY	1623
18 Module Plastic Surround and Gridplate	UNSCP18M_CL	1913	UNSCP18M_CD	1913	UNSCP18M_WE	976	UNSCP18M_GY	1701

* coming soon

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 27th, 2020

ZENcelo India - The Revolutionary Full-Flat Switch



- **World's First and only Full-Flat Mechanical Switch**
- **Patented Iso-Motion Technology** - Ensures switch stays in the same position whether On or Off
- **Robust & Strong** - Made of corrosion-resistant, heat-resistant and impact-resistant polycarbonate
- **Safe to Use** - Electric arc encapsulated switches and Data Sockets with patented integrated shutter
- **Designed to Last** - Switches tested to 80,000 times; Sockets tested to 15,000 cycles.
- **Green & Eco Friendly** - RoHS compliant range



IN8401



IN8401/16




IN8411



IN8486/20



IN8405



IN8425



IN84SFR



IN8404D



IN8426U



IN8426/16



IN8431RJS4



IN8432USB_WE



INH8451



INH8454

Description	Reference for White	Unit MRP [₹]	Reference for Dark Grey	Unit MRP [₹]
Switches				
6A 1 Way switch	IN8401	313	IN8401(BZ)	393
6A 1 Way switch (2M)	IN8421	485	IN8421(BZ)	584
6A 2 Way switch	IN8402	382	IN8402(BZ)	458
6A 1 Way switch with Neon	IN8481	475	IN8481(BZ)	569
16AX~20A 1 Way switch	IN8401/16	460	IN8401/16(BZ)	561
16AX~20A 1 Way switch (2M)	IN8421/16	647	IN8421/16(BZ)	764
16AX~20A 1 Way switch with Neon	IN8481/16	649	IN8481/16(BZ)	769
16AX~20A 1 Way switch with Neon (2M)	IN8482/16	764	IN8482/16(BZ)	899
16AX~20A 2 Way switch	IN8402/16	643	IN8402/16(BZ)	758
16AX~20A 2 Way switch (2M)	IN8422/16	769	IN8422/16(BZ)	903
16AX~20A 1 Way 2G switch (1M)	IN8444/16	746	IN8444/16(BZ)	899
10AX Intermediate switch	IN8430/IM	1077	IN8430/IM(BZ)	1218
20A DP Switch with Neon (2M)	IN8486/20	1000	IN8486/20(BZ)	1181
32A DP Switch with Neon (2M)	IN8486/32	1570	IN8486/32(BZ)	1869
Motor Starter Switch				
25A Motor Starter switch (2M)	IN8425MS	2546	IN8425MS(BZ)	2709
Bell Push				
6A Bell Push switch	IN8405	433	IN8405(BZ)	523
6A Bell Push switch (2M)	IN8425	632	IN8425(BZ)	748
6A Bell Push switch with Neon	IN8485	563	IN8485(BZ)	664
6A Bell Push switch with Neon (2M)	IN8486	699	IN8486(BZ)	823
Sockets				
2~3 Pin Universal Socket with Shutter	IN8426U	498	IN8426U(BZ)	603
6A/16A 3 Pin Socket with Shutter	IN8426/16	743	IN8426/16(BZ)	909
13A Flat Pin Socket with Shutter	IN84213	1016	IN84213(BZ)	1202
International Socket with Shutter	IN84213IS	876	IN84213IS(BZ)	1096
Universal 2 Pin Socket with Shutter	IN84226U	523	IN84226U(BZ)	613
20A 3 Pin Socket with Shutter	IN84220	947	IN84220(BZ)	1113
25A 3 Pin Socket with Shutter	IN84225	1012	IN84225(BZ)	1192
Fan Regulators & Dimmers				
Fan Control (5 Speeds)	IN84SFR	1764	IN84SFR(BZ)	2116
Full Flat 400W Dimmer Module (1 Gang)	IN8404D	1512	IN8404D(BZ)	1790
USB Chargers				
1 Gang USB Charger - 2.1A (1M)	IN8431USB_WE	2861	IN8431USB_BZ	3281
2 Gang USB Charger - 2.1A (2M)	IN8432USB_WE	4184	IN8432USB_BZ	4814
Accessories				
RJ11 Telephone Outlet with shutter (1 Gang)	IN8431RJS4	477	IN8431RJS4(BZ)	582
RJ45 Cat6 Data Outlet with shutter	IN8431RJ6	1659	IN8431RJ6(BZ)	2027
Data Outlet Wall Plate (for RJ45 key stone jack)	IN8431RJC	470	IN8431RJC(BZ)	554
TV Socket	IN8431TV	361	IN8431TV(BZ)	435
Cord Outlet	IN8445CO	414	IN8445CO(BZ)	504
Foot Lamp with White LED (2M)	IN8490FLW	3334	-	-
Foot Lamp with Yellow LED (2M)	IN8490FLY	3250	-	-
Blank off unit (1M)	IN8430X	111	IN8430X(BZ)	137
Hotel Series				
Do Not Disturb Panel	INH8451	2305	INH8451(BZ)	2730
Make My Room Panel	INH8454	2095	INH8454(BZ)	2473
Do Not Disturb Switch	INH8452	1145	INH8452(BZ)	1349
Do Not Disturb Switch (2M)	INH8453	1166	INH8453(BZ)	1376
Make My Room Switch	INH8455	1118	INH8455(BZ)	1318

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 27th, 2020

ZENcelo India - The Revolutionary Full-Flat Switch



IN8403C



IN8406C



IN8402C(BZ)



IN8404C(SZ)



IN84012C(SA)

Description	Reference for White	Unit MRP [₹]	Reference for Dark Grey	Unit MRP [₹]	Reference for Silver Bronze	Unit MRP [₹]	Reference for Satin Silver	Unit MRP [₹]
Cover Plates								
1M Grid & 1M Cover Frame	IN8401C	286	IN8401C(BZ)	339	IN8401C(SZ)	788	IN8401C(SA)	788
2M Grid & 2M Cover Frame	IN8402C	297	IN8402C(BZ)	354	IN8402C(SZ)	779	IN8402C(SA)	779
3M Grid & 3M Cover Frame	IN8403C	350	IN8403C(BZ)	418	IN8403C(SZ)	957	IN8403C(SA)	957
4M Grid & 4M Cover Frame	IN8404C	381	IN8404C(BZ)	491	IN8404C(SZ)	1150	IN8404C(SA)	1150
6M Grid & 6M Cover Frame	IN8406C	581	IN8406C(BZ)	691	IN8406C(SZ)	1579	IN8406C(SA)	1579
8M Grid & 8M Cover Frame - Horizontal	IN8408HC	691	IN8408HC(BZ)	827	IN8408HC(SZ)	2134	IN8408HC(SA)	2134
8M Grid & 8M Cover Frame - Square	IN8408SC	913	IN8408SC(BZ)	1150	IN8408SC(SZ)	2591	IN8408SC(SA)	2591
9M Grid & 9M Cover Frame	IN8409C	1135	IN8409C(BZ)	1419	IN8409C(SZ)	3421	IN8409C(SA)	3421
12M Grid & 12M Cover Frame	IN84012C	1502	IN84012C(BZ)	1848	IN84012C(SZ)	4774	IN84012C(SA)	4774
18M Grid & 18M Cover Frame	IN84018C	2118	IN84018C(BZ)	2492	IN84018C(SZ)	6320	IN84018C(SA)	6320

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 27th, 2020

ZENcelo BS - The Revolutionary Full-Flat Switch



- **British Standard** - Consistent Plate Size across functions
- World's First and only **Full-Flat Mechanical Switch**
- **Patented Iso-Motion Technology** - Ensures switch stays in the same position whether On or Off
- **Robust & Strong** - Made of corrosion-resistant, heat-resistant and impact-resistant polycarbonate
- **Designed to Last** - Switches tested to 80,000 times; Sockets tested to 15,000 cycles.
- **Green & Eco Friendly** - RoHS compliant range



E8432/1>SZ-OS



E8433/1-OS



E8415_10_WE



E8431D20-OS



E431RJS4-OS

Description	Reference for White	Unit MRP [₹]	Reference For Silver Brozne	Unit MRP [₹]
Switches				
16AX/20A 1 Gang 1 Way switch with Ondicator	E8431/1-OS	380	E8431/1>SZ-OS	473
16AX/20A 2 Gang 1 Way switch with Ondicator	E8432/1-OS	588	E8432/1>SZ-OS	735
16AX/20A 3 Gang 1 Way switch with Ondicator	E8433/1-OS	962	E8433/1>SZ-OS	1202
16AX/20A 4 Gang 1 Way switch with Ondicator	E8434/1-OS	1386	E8434/1>SZ-OS	1733
16AX/20A 1 Gang 2 Way switch	E8431/2-OS	407	E8431/2>SZ-OS	506
16AX/20A 2 Gang 2 Way switch	E8432/2-OS	714	E8432/2>SZ-OS	890
16AX/20A 3 Gang 2 Way switch	E8433/2-OS	1035	E8433/2>SZ-OS	1302
16AX 1 Gang Intermediate Switch	E8431/I-OS	1129	E8431/I>SZ-OS	1412
Double Pole Switches				
20A 1 Gang Double Pole switch with Neon	E8431D20-OS	1079	E8431D20>SZ-OS	1412
32A 1 Gang Double Pole switch with Neon	E8431D32-OS	1433	E8431D32>SZ-OS	1885
Bell Push				
10A Full-Flat Bell Switch	E8431BP1-OS	414	E8431BP1>SZ-OS	510
Sockets				
5A 1 Gang 3 Round Pin Switched Socket with Shutter and Ondicator	E8415/5-OS	750	E8415/5>SZ-OS	935
5A 1 Gang 3 Round Pin Switched Socket with Neon and Shutter	E8415/5N-OS	1054	E8415/5N>SZ-OS	1323
15A 1 Gang 3 Round Pin Switched Socket with Shutter and Ondicator	E8415/15-OS	886	E8415/15>SZ-OS	1108
15A 1 Gang 3 Round Pin Switched Socket with Shutter and Neon	E8415/15N-OS	1302	E8415/15N>SZ-OS	1612
16A 1 Gang International Socket with Shutter	E84426/16IS-OS	943	E84426/16IS>SZ-OS	1176
13A 1 Gang Switched Socket with Ondicator	E8415-OS	1108	E8415>SZ-OS	1386
13A 1 Gang Switched Socket with Neon	E8415N-OS	935	E8415N>SZ-OS	1166
10/16A Switched Socket Outlet -Shuttered	E8415_16_10_WE	987	E8415_16_10_SZ	1155
10A 2-3 pin Switched Socket Outlet - Shuttered	E8415_10_WE	785	E8415_10_SZ	979
Fan Regulators & Dimmers				
350VA 50Hz 1 Gang Full-Flat Universal Dimmer with LED	E8431EPD4-OS	2452	E8431EPD4>SZ-OS	3061
Accessories				
1 Gang TV Socket Master	E8431TVM-OS	475	E8431TVM>SZ-OS	592
1 Gang Telephone Socket on Shuttered Wallplate	E8431RJS4-OS	605	E8431RJS4>SZ-OS	758
2 Gang Telephone Socket on Shuttered Wallplate	E8432RJS4-OS	1412	E8432RJS4>SZ-OS	1754
1 Gang Data Outlet Category 5E with Integrated Shutter	E8431RJ/5-OS	943	E8431RJ/5>SZ-OS	1176
1 Gang Data Outlet Category 6 with Integrated Shutter	E8431RJ/6-OS	1129	E8431RJ/6>SZ-OS	1412
1 Gang Data Outlet Category 5E on Shuttered Wallplate	E8431RJS/5-OS	1176	E8431RJS/5>SZ-OS	1475
1 Gang Data Outlet Category 6 on Shuttered Wallplate	E8431RJS/6-OS	1412	E8431RJS/6>SZ-OS	1759
2 Gang Data Outlet Category 5E with Integrated Shutter	E8432RJ/5-OS	1649	E8432RJ/5>SZ-OS	2053
2 Gang Data Outlet Category 6 with Integrated Shutter	E8432RJ/6-OS	2116	E8432RJ/6>SZ-OS	2630
2 Gang Data Outlet Category 5E on Shuttered Wallplate	E8432RJS/5-OS	1649	E8432RJS/5>SZ-OS	2053
2 Gang Data Outlet Category 6 on Shuttered Wallplate	E8432RJS/6-OS	2116	E8432RJS/6>SZ-OS	2630
2 Gang Telephone + Data Outlet Category 5E with Integrated Shutter	E8432TDRJ/5-OS	1412	E8432TDRJ/5>SZ-OS	1759
2 Gang Telephone + Data Outlet Category 5E on Shuttered Wallplate	E8432TDRJS/5-OS	1754	E8432TDRJS/5>SZ-OS	2189
2 Gang Telephone + Data Outlet Category 6 on Shuttered Wallplate	E8432TDRJS/6-OS	1995	E8432TDRJS/6>SZ-OS	2489
TV + Cat 6 shutter outlet	E8432TVRJ6_WE_G1	1754	E8432TVRJ6_SZ_G1	1916
1 Gang Wallplate without Modular Jack	E8431RJ-OS	943	E8431RJ>SZ-OS	1176
1 Gang Shuttered Wallplate without Modular Jack	E8431RJS-OS	252	E8431RJS>SZ-OS	315
2 Gang Wallplate without Modular Jack	E8432RJ-OS	368	E8432RJ>SZ-OS	456
2 Gang Shuttered Wallplate without Modular Jack	E8432RJS-OS	388	E8432RJS>SZ-OS	480
25A Connection Unit	E8431TB-OS	898	E8431TB>SZ-OS	1120
Blank off unit (1M)	E8430X-OS	240	E8430X>SZ-OS	300

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 27th, 2020

ZENcelo BS - The Revolutionary Full-Flat Switch



E8431USB_WE



E8431USB_SZ



E8431USB_SA

Description	Reference For White	Unit MRP [₹]	Reference For Silver Bronze	Unit MRP [₹]	Reference For Satin Silver	Unit MRP [₹]
-------------	---------------------	--------------	-----------------------------	--------------	----------------------------	--------------

USB Chargers

1 Gang 2.1A USB Charger	E8431USB_WE	3911	E8431USB_SZ	4363	E8431USB_SA	4363
-------------------------	-------------	------	-------------	------	-------------	------



E8431EKT-OS



E8432DMS>SZ-OS



E84T727H-OS



E84T727V>SZ-OS

Description	Reference for White	Unit MRP [₹]	Reference For Silver Bronze	Unit MRP [₹]
-------------	---------------------	--------------	-----------------------------	--------------

Hotel Series

Illuminated "Do Not Disturb" & "Please Clean Up" Symbols	E8432DM-OS	3113	E8432DM>SZ-OS	3890
Illuminated "Do not Disturb" Symbol	E8431D-OS	907	E8431D>SZ-OS	1129
1 Gang Full-Flat Switch with Illuminated "Do not Disturb" Symbol	E8431DS-OS	489	E8431DS>SZ-OS	609
2 Gang Full-Flat Switch with Illuminated "Do not Disturb" & "Please Clean Up" Symbols	E8432DMS-OS	3428	E8432DMS>SZ-OS	4279
1 Gang Full-Flat Bell Switch with Illuminated "Do Not Disturb" Symbol	E8431BPD-OS	2609	E8431BPD>SZ-OS	3166
1 Gang Full-Flat Bell Switch with Illuminated "Do Not Disturb" & "Please Clean Up" Symbols	E8431BPDM-OS	3329	E8431BPDM>SZ-OS	4153
Electronic Key Card Time Delay Switch	E8431EKT-OS	6652	E8431EKT>SZ-OS	8316
Universal Shaver Unit, Vertical	E84T727V-OS	3764	E84T727V>SZ-OS	4688
Universal Shaver Unit, Horizontal	E84T727H-OS	3764	E84T727H>SZ-OS	4688

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 27th, 2020

AvatarOn - It's also a Switch



Award-winning Designs: In 2017, AvatarOn gained international recognition for its innovative design and quality excellence and was awarded the iF Design Award

Ingenious Beauty

- The ground-breaking AvatarOn series is a true marriage of aesthetics and practicality, making it a perfect choice for all home or office designs.

Safe and Reliable

- Our patented "Slim Rocker, Sure Click" SS technology not only gives AvatarOn a greater thinness overall, but also a near-zero contact jitter that reduces sparks, thus ensuring a safe and reliable use.

Customisable Covers for True Adaptability

- AvatarOn switches are available in an array of replaceable covers for full customisation and integration into any home decor. The customised pattern covers of AvatarOn provides you with an extra canvas to showcase your creativity in a subtle yet apparent way.

Modern Look

- The stylish and streamlined design of AvatarOn switch covers are finished in white, soft wood, dark wood and gold hairline materials for a classic look and universal elegance.

Tech-chic Design that Shines

- The AvatarOn soft LED locators merges seamlessly with its sleek giant dolly, creating a stylish and streamlined design and glow with a soft luminescent in the dark, indicating the exact location of each switch at night.

Multifunctional Accessories for Every Day Conveniences

Product Description	Color	Product Ref. No.	Unit LP [₹]
16A Switches (Base + Cover Plate)			
16AX 250V 1 Gang 1 Way Switch	White	E8331L1_WE_G8	420
	Wine Gold	E8331L1_WG_G8	630
	Metal Gold Hairline	E8331L1_GH_G8	630
	Light Wood	E8331L1_LW_G8	630
	Dark Wood	E8331L1_WD_G8	630
16AX 250V 1 Gang 1 Way Switch with LED Indicator	White	E8331L1LED_WE_G8	630
	Wine Gold	E8331L1LED_WG_G8	944
	Metal Gold Hairline	E8331L1LED_GH_G8	944
	Light Wood	E8331L1LED_LW_G8	944
	Dark Wood	E8331L1LED_WD_G8	944
16AX 250V 1 Gang 2 Way Switch	White	E8331L2_WE_G8	449
	Wine Gold	E8331L2_WG_G8	673
	Metal Gold Hairline	E8331L2_GH_G8	673
	Light Wood	E8331L2_LW_G8	673
	Dark Wood	E8331L2_WD_G8	673
16AX 250V 1 Gang 2 Way Switch with LED Indicator	White	E8331L2LED_WE_G8	673
	Wine Gold	E8331L2LED_WG_G8	1010
	Metal Gold Hairline	E8331L2LED_GH_G8	1010
	Light Wood	E8331L2LED_LW_G8	1010
	Dark Wood	E8331L2LED_WD_G8	1010
16AX 250V 2 Gang 1 Way Switch	White	E8332L1_WE_G8	649
	Wine Gold	E8332L1_WG_G8	974
	Metal Gold Hairline	E8332L1_GH_G8	974
	Light Wood	E8332L1_LW_G8	974
	Dark Wood	E8332L1_WD_G8	974
16AX 250V 2 Gang 1 Way Switch with LED Indicator	White	E8332L1LED_WE_G8	974
	Wine Gold	E8332L1LED_WG_G8	1461
	Metal Gold Hairline	E8332L1LED_GH_G8	1461
	Light Wood	E8332L1LED_LW_G8	1461
	Dark Wood	E8332L1LED_WD_G8	1461
16AX 250V 2 Gang 2 Way Switch	White	E8332L2_WE_G8	789
	Wine Gold	E8332L2_WG_G8	1184
	Metal Gold Hairline	E8332L2_GH_G8	1184
	Light Wood	E8332L2_LW_G8	1184
	Dark Wood	E8332L2_WD_G8	1184

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 27th, 2020

Product Description	Color	Product Ref. No.	Unit LP [₹]
16A Switches (Base + Cover Plate)			
16AX 250V 2 Gang 2 Way Switch with LED Indicator	White	E8332L2LED_WE_G8	1184
	Wine Gold	E8332L2LED_WG_G8	1776
	Metal Gold Hairline	E8332L2LED_GH_G8	1776
	Light Wood	E8332L2LED_LW_G8	1776
	Dark Wood	E8332L2LED_WD_G8	1776
16AX 250V 3 gang 1 Way Switch	White	E8333L1_WE_G8	1064
	Wine Gold	E8333L1_WG_G8	1596
	Metal Gold Hairline	E8333L1_GH_G8	1596
	Light Wood	E8333L1_LW_G8	1596
	Dark Wood	E8333L1_WD_G8	1596
16AX 250V 3 gang 1 Way Switch with LED Indicator	White	E8333L1LED_WE_G8	1596
	Wine Gold	E8333L1LED_WG_G8	2394
	Metal Gold Hairline	E8333L1LED_GH_G8	2394
	Light Wood	E8333L1LED_LW_G8	2394
	Dark Wood	E8333L1LED_WD_G8	2394
16AX 250V 3 gang 2 Way Switch	White	E8333L2_WE_G8	1146
	Wine Gold	E8333L2_WG_G8	1719
	Metal Gold Hairline	E8333L2_GH_G8	1719
	Light Wood	E8333L2_LW_G8	1719
	Dark Wood	E8333L2_WD_G8	1719
16AX 250V 3 gang 2 Way Switch with LED Indicator	White	E8333L2LED_WE_G8	1719
	Wine Gold	E8333L2LED_WG_G8	2578
	Metal Gold Hairline	E8333L2LED_GH_G8	2578
	Light Wood	E8333L2LED_LW_G8	2578
	Dark Wood	E8333L2LED_WD_G8	2578
16AX 250V 4 Gang 1 Way Switch	White	E8334L1_WE_G8	1531
	Wine Gold	E8334L1_WG_G8	2297
	Metal Gold Hairline	E8334L1_GH_G8	2297
	Light Wood	E8334L1_LW_G8	2297
	Dark Wood	E8334L1_WD_G8	2297
16AX 250V 4 Gang 1 Way Switch with LED Indicator	White	E8334L1LED_WE_G8	2297
	Wine Gold	E8334L1LED_WG_G8	3445
	Metal Gold Hairline	E8334L1LED_GH_G8	3445
	Light Wood	E8334L1LED_LW_G8	3445
	Dark Wood	E8334L1LED_WD_G8	3445
16AX 250V 4 Gang 2 Way Switch	White	E8334L2_WE_G8	1761
	Wine Gold	E8334L2_WG_G8	2641
	Metal Gold Hairline	E8334L2_GH_G8	2641
	Light Wood	E8334L2_LW_G8	2641
	Dark Wood	E8334L2_WD_G8	2641
16AX 250V 4 Gang 2 Way Switch with LED Indicator	White	E8334L2LED_WE_G8	2641
	Wine Gold	E8334L2LED_WG_G8	3962
	Metal Gold Hairline	E8334L2LED_GH_G8	3962
	Light Wood	E8334L2LED_LW_G8	3962
	Dark Wood	E8334L2LED_WD_G8	3962

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 27th, 2020

Product Description	Color	Product Ref. No.	Unit LP [₹]
16A Intermediate Switches			
16AX 250V 1 Gang Intermediate Switch	White	E8331M_WE_G8	1246
	Wine Gold	E8331M_WG_G8	1869
	Metal Gold Hairline	E8331M_GH_G8	1869
	Light Wood	E8331M_LW_G8	1869
	Dark Wood	E8331M_WD_G8	1869
10A Momentary Switches			
10A 250V 1 Gang Momentary Switch	White	E8331PRL1_WE_G8	457
	Wine Gold	E8331PRL1_WG_G8	685
	Metal Gold Hairline	E8331PRL1_GH_G8	685
	Light Wood	E8331PRL1_LW_G8	685
	Dark Wood	E8331PRL1_WD_G8	685
10A 250V 2 Gang Momentary Switch	White	E8332PRL1_WE_G8	548
	Wine Gold	E8332PRL1_WG_G8	822
	Metal Gold Hairline	E8332PRL1_GH_G8	822
	Light Wood	E8332PRL1_LW_G8	822
	Dark Wood	E8332PRL1_WD_G8	822
Double Pole Switches			
20A 250V 1 Gang Double Pole Switch with LED Indicator	White	E8331D20N_WE_G8	1074
	Wine Gold	E8331D20N_WG_G8	1611
	Metal Gold Hairline	E8331D20N_GH_G8	1611
	Light Wood	E8331D20N_LW_G8	1611
	Dark Wood	E8331D20N_WD_G8	1611
20A 250V 2 Gang Double Pole Switch with LED Indicator	White	E8332D20N_WE_G8	1369
	Wine Gold	E8332D20N_WG_G8	1933
	Metal Gold Hairline	E8332D20N_GH_G8	1933
	Light Wood	E8332D20N_LW_G8	1933
	Dark Wood	E8332D20N_WD_G8	1933
32A 250V 1 Gang Double Pole Switch with LED Indicator	White	E8331D32N_WE_G8	1426
	Wine Gold	E8331D32N_WG_G8	2138
	Metal Gold Hairline	E8331D32N_GH_G8	2138
	Light Wood	E8331D32N_LW_G8	2138
	Dark Wood	E8331D32N_WD_G8	2138
45A 250V 1 Gang Double Pole Switch with LED Indicator	White	E8331D45N_WE_G8	1782
	Wine Gold	E8331D45N_WG_G8	2673
	Metal Gold Hairline	E8331D45N_GH_G8	2673
	Light Wood	E8331D45N_LW_G8	2673
	Dark Wood	E8331D45N_WD_G8	2673
Bell Push Switch			
10A 250V Door Bell Push Switch	White	E8331BPL1_WE_G8	457
	Wine Gold	E8331BPL1_WG_G8	685
	Metal Gold Hairline	E8331BPL1_GH_G8	685
	Light Wood	E8331BPL1_LW_G8	685
	Dark Wood	E8331BPL1_WD_G8	685

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 27th, 2020

Product Description	Color	Product Ref. No.	Unit LP [₹]
Sockets			
10A International Socket for India	White	E83426TSI_WE	1224
	Wine Gold	E83426TSI_WG	1838
10A 250V 2 Gang Universal Socket (2Pin + 2Pin)	White	E83426U2_WE	506
	Wine Gold	E83426U2_WG	760
	Metal Gold Hairline	E83426U2_GH	760
	Light Wood	E83426U2_LW	760
	Dark Wood	E83426U2_WD	760
6A 2/3 Pin Switched Socket	White	E8315_6_WE	923
	Wine Gold	E8315_6_WG	1173
	Metal Gold Hairline	E8315_6_GH	1173
	Light Wood	E8315_6_LW	1173
6/16A Switched Socket	Dark Wood	E8315_6_WD	1173
	White	E8315_16_WE	1158
	Wine Gold	E8315_16_WG	1472
	Metal Gold Hairline	E8315_16_GH	1472
	Light Wood	E8315_16_LW	1472
	Dark Wood	E8315_16_WD	1472
	Switch & Socket Covers (Additional)		
5 Steps 360 Deg Fan Regulator	White	E8331FR350_WE_G8	2199
	Wine Gold	E8331FR350_WG_G8	2899
	Metal Gold Hairline	E8331FR350_WD_G8	2899
	Light Wood	E8331FR350_GH_G8	2899
	Dark Wood	E8331FR350_LW_G8	2899
Switch & Socket Covers (Additional)			
1 Gang Switch Cover	White	E8331_WE	115
	Wine Gold	E8331_WG	289
	Metal Gold Hairline	E8331_GH	289
	Light Wood	E8331_LW	289
	Dark Wood	E8331_WD	289
1 Gang Switch Cover with Keyholder	White	E8331KH_WE	215
	Wine Gold	E8331KH_WG	389
	Metal Gold Hairline	E8331KH_GH	389
	Light Wood	E8331KH_LW	389
2 Gang Switch Cover	Dark Wood	E8331KH_WD	389
	White	E8332_WE	175
	Wine Gold	E8332_WG	393
	Metal Gold Hairline	E8332_GH	393
3 Gang Switch Cover	Light Wood	E8332_LW	393
	Dark Wood	E8332_WD	393
	White	E8333_WE	270
	Wine Gold	E8333_WG	578
3 Gang Switch Cover with Keyholder	Metal Gold Hairline	E8333_GH	578
	Light Wood	E8333_LW	578
	Dark Wood	E8333_WD	578
	White	E8333KH_WE	351
4G Switch Cover	Wine Gold	E8333KH_WG	678
	Metal Gold Hairline	E8333KH_GH	678
	Light Wood	E8333KH_LW	678
	Dark Wood	E8333KH_WD	678
10A 250V 2 Gang Universal Socket Cover	White	E8334_WE	380
	Wine Gold	E8334_WG	789
	Metal Gold Hairline	E8334_GH	789
	Light Wood	E8334_LW	789
	Dark Wood	E8334_WD	789
6A 2/3 Pin Switched Socket Cover	White	E83426U2C_WE	155
	Metal Gold Hairline	E83426U2C_GH	278
	Dark Wood	E83426U2C_WD	278
6/16A Switched Socket Cover	White	E8315C_6_WE	325
	Wine Gold	E8315C_6_WG	550
	Metal Gold Hairline	E8315C_6_GH	550
	Light Wood	E8315C_6_LW	550
	Dark Wood	E8315C_6_WD	550
	White	E8315C_16_WE	350
	Wine Gold	E8315C_16_WG	575
	Metal Gold Hairline	E8315C_16_GH	575
	Light Wood	E8315C_16_LW	575
	Dark Wood	E8315C_16_WD	575

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 27th, 2020

Product Description	Color	Product Ref. No.	Unit LP [₹]
USB Chargers			
"13A 250V Switched Socket with 2.1A USB Charger (Compatible with Type G Plugs)"	White	E8315USB_WE_G8	6624
	Wine Gold	E8315USB_WG_G8	9936
	Metal Gold Hairline	E8315USB_GH_G8	9936
	Light Wood	E8315USB_LW_G8	9936
	Dark Wood	E8315USB_WD_G8	9936
2 Ports Max 2.1A USB Charger with Mobile Holder	White	E83311USB_WE_G8	4329
	Wine Gold	E83311USB_WG_G8	6493
"2 x 2.1A USB Charger with Mobile Holder (2.1A with 2 outputs used simultaneously)"	White	E8332USB_WE_G8	5411
	Wine Gold	E8332USB_WG_G8	8118
	Metal Gold Hairline	E8332USB_GH_G8	8118
	Light Wood	E8332USB_LW_G8	8118
	Dark Wood	E8332USB_WD_G8	8118
Blacket/Frame (to ensure alignment of switches on 2/3/4 Gang metal box)			
2 Gang Bracket/Frame	White	E8331_26_WE	191
	Wine Gold	E8331_26_WG	250
3 Gang Bracket/Frame	White	E8331_36_WE	210
	Wine Gold	E8331_36_WG	294
4 Gang Bracket/ Frame	White	E8331_46_WE	225
	Wine Gold	E8331_46_WG	316
Blank Plates			
1 Gang Blank Plate	White	E8330X_WE	277
	Wine Gold	E8330X_WG	416
	Metal Gold Hairline	E8330X_GH	416
	Light Wood	E8330X_LW	416
	Dark Wood	E8330X_WD	416
2 Gang Blank Plate	White	E8330TX_WE	387
	Wine Gold	E8330TX_WG	601
	Metal Gold Hairline	E8330TX_GH	601
	Light Wood	E8330TX_LW	601
	Dark Wood	E8330TX_WD	601
Hotel Series			
"DND, PCU, PW Indicator with Bell Switch (Do Not Disturb, Please Clean Up, Please Wait)"	White	E8331BPDMW_WE_G8	3940
	Wine Gold	E8331BPDMW_WG_G8	5910
	Metal Gold Hairline	E8331BPDMW_GH_G8	5910
	Light Wood	E8331BPDMW_LW_G8	5910
	Dark Wood	E8331BPDMW_WD_G8	5910
"16AX 3 Gang Switch with PCU, DND, PW Sym (Do Not Disturb, Please Clean Up, Please Wait)"	White	E8333DMWS_WE_G8	3821
	Wine Gold	E8333DMWS_WG_G8	5732
	Metal Gold Hairline	E8333DMWS_GH_G8	5732
	Light Wood	E8333DMWS_LW_G8	5732
	Dark Wood	E8333DMWS_WD_G8	5732
250V 16A Electronic Keycard Switch	White	E8331EKT_WE	6884
	Wine Gold	E8331EKT_WG	10327
	Metal Gold Hairline	E8331EKT_GH	10327
	Light Wood	E8331EKT_LW	10327
	Dark Wood	E8331EKT_WD	10327
Panic Button with Key Reset	White	E8331KPB_WE	944
	Wine Gold	E8331KPB_WG	1573
	Metal Gold Hairline	E8331KPB_GH	1573
	Light Wood	E8331KPB_LW	1573
	Dark Wood	E8331KPB_WD	1573
10A 2 Gang Mechanical Curtain Switch	White	E8332C_WE_G8	817
	Wine Gold	E8332C_WG_G8	1225
	Metal Gold Hairline	E8332C_GH_G8	1225
	Light Wood	E8332C_LW_G8	1225
	Dark Wood	E8332C_WD_G8	1225
115/240V 20VA Universal Version Shaver	White	E83T727V_WE	3891
	Wine Gold	E83T727V_WG	6484
	Metal Gold Hairline	E83T727V_GH	6484
	Light Wood	E83T727V_LW	6484
	Dark Wood	E83T727V_WD	6484

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 27th, 2020

Product Description	Color	Product Ref. No.	Unit LP [₹]	
Connection Units				
13A 250V 1 Gang Fused Connection Unit	White	E8330FSG_WE	1079	
	Wine Gold	E8330FSG_WG	1209	
	Light Wood	E8330FSG_LW	1209	
	Dark Wood	E8330FSG_WD	1209	
13A 250V 1 Gang Fused Connection Unit with Neon	White	E8330FSGN_WE	1170	
	Wine Gold	E8330FSGN_WG	1509	
	Light Wood	E8330FSGN_LW	1509	
	Dark Wood	E8330FSGN_WD	1509	
13A 250V 1 Gang Fused Connection with DP Switch and Neon	White	E8331DFSGN_WE	2112	
	Wine Gold	E8331DFSGN_WG	3520	
	Light Wood	E8331DFSGN_LW	3520	
	Dark Wood	E8331DFSGN_WD	3520	
25A 250V 1 Gang Connection Unit	White	E8331TB_WE	939	
	Wine Gold	E8331TB_WG	1564	
	Metal Gold Hairline	E8331TB_GH	1564	
	Light Wood	E8331TB_LW	1564	
25A 250V 1 Gang Connection Unit	Dark Wood	E8331TB_WD	1564	
	Telecom, Network, Connectivity & Media Series			
	1 Gang Telephone Socket, Shuttered Wallplate	White	E8331RJS4_WE	601
		Wine Gold	E8331RJS4_WG	1002
Metal Gold Hairline		E8331RJS4_GH	1002	
Light Wood		E8331RJS4_LW	1002	
2G Tel Socket, Shuttered Wallplate,	Dark Wood	E8331RJS4_WD	1002	
	White	E8332RJS4_WE	1408	
	Wine Gold	E8332RJS4_WG	2112	
	White	E8331RJS5_WE	939	
1 Gang RJ45 Data Cat5E, Shuttered	Wine Gold	E8331RJS5_WG	1564	
	Metal Gold Hairline	E8331RJS5_GH	1564	
	Light Wood	E8331RJS5_LW	1564	
	Dark Wood	E8331RJS5_WD	1564	
2 Gang RJ45 Data Cat5E, Shuttered	White	E8332RJS5_WE	1639	
	Wine Gold	E8332RJS5_WG	2733	
	Metal Gold Hairline	E8332RJS5_GH	2733	
	Light Wood	E8332RJS5_LW	2733	
1 Gang RJ45 Data Cat6, Shuttered	Dark Wood	E8332RJS5_WD	2733	
	White	E8331RJS6_WE	1121	
	Wine Gold	E8331RJS6_WG	1682	
	White	E8332RJS6_WE	2103	
2 Gang RJ45 Data Cat6, Shuttered	Wine Gold	E8332RJS6_WG	3154	
	White	E8331TV_WE	473	
	Wine Gold	E8331TV_WG	789	
	Metal Gold Hairline	E8331TV_GH	789	
1 Gang TV Socket, 75Ω, Through-Connect	Light Wood	E8331TV_LW	789	
	Dark Wood	E8331TV_WD	789	
	White	E8331TVSF_WE	524	
	Wine Gold	E8331TVSF_WG	789	
2 Gang TV Master/FM Socket	White	E8332TVFMM_WE	1900	
	Wine Gold	E8332TVFMM_WG	2850	
	White	E8332TDRJS5_WE	1408	
	Wine Gold	E8332TDRJS5_WG	2347	
1 Gang Tel + RJ45 Data Cat5E, Shuttered	Metal Gold Hairline	E8332TDRJS5_GH	2347	
	Light Wood	E8332TDRJS5_LW	2347	
	Dark Wood	E8332TDRJS5_WD	2347	
	White	E8332TVRJS5_WE	1746	
1 Gang TV+ RJ45 Data Cat5E, Shuttered	Wine Gold	E8332TVRJS5_WG	2620	
	Metal Gold Hairline	E8332TVRJS5_GH	2620	
	Light Wood	E8332TVRJS5_LW	2911	
	Dark Wood	E8332TVRJS5_WD	2620	
1 Gang TV+ RJ45 Data Cat6, Shuttered	White	E8332TVRJS6_WE	1746	
	Wine Gold	E8332TVRJS6_WG	2620	
	White	E8332HDUSB_WE	3897	
	Wine Gold	E8332HDUSB_WG	6493	
HDMI + USB Socket	White	E8332HDRJS5_WE	2371	
	Wine Gold	E8332HDRJS5_WG	3556	
	White	E8332HDHD_WE	2137	
	Wine Gold	E8332HDHD_WG	3562	
HDMI + RJ45 Data Cat5E, Shuttered	White	E8331RCA_S_WE	1500	
	Wine Gold	E8331RCA_S_WG	2250	
	White	E8332HD15PH_WE	1500	
	Wine Gold	E8332HD15PH_WG	2250	
VGA + Mini Audio	White	E8331VC_WE	1700	
	Wine Gold	E8331VC_WG	2550	
	White	E8331SC_WE	1444	
	Wine Gold	E8331SC_WG	2167	
Speaker Connection, One Pair	White	E8332SC_WE	2000	
	Wine Gold	E8332SC_WG	3000	
	White	E8331RJS_WE	444	
	Wine Gold	E8331RJS_WG	667	
1 Gang S Keystone Wallplate (w/o Mod)	White	E8332RJS_WE	833	
	Wine Gold	E8332RJS_WG	1251	

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 27th, 2020

NEO - Face the Future



- **Unique** - Horizontal Switches available for Horizontal Decor
- **Stylish** - Ingenious combination of matt and gloss finish along with a fresh look through use of LED technology
- **Convenient** - Switches with soft, luminiscent “locators” to locate the switch in dark
- **Dual Tone Colours** - Standard colours include Grey and White incorporating Blue and White LED respectively



E3033H1EBGS



E3032H1EWWW



E3032H1FWWW



E3032V1EBGS



E3031V1EWWW



E3032V1FWWW

Description	Horizontal Dolly Reference	Unit MRP [₹]	Vertical Dolly Reference	Unit MRP [₹]
Grey Switches with Blue LED Indicator				
10AX 250V 1 Gang 1 Way Switch	E3031H1EBGS	735	E3031V1EBGS	735
10AX 250V 1 Gang 2 Way Switch	E3031H2EBGS	859	E3031V2EBGS	859
10AX 250V 2 Gang 1 Way Switch	E3032H1EBGS	1150	E3032V1EBGS	1150
10AX 250V 2 Gang 2 Way Switch	E3032H2EBGS	1355	E3032V2EBGS	1355
10AX 250V 3 Gang 1 Way Switch	E3033H1EBGS	1685	E3033V1EBGS	1685
10AX 250V 3 Gang 2 Way Switch	E3033H2EBGS	1985	E3033V2EBGS	1985
10AX 250V 4 Gang 1 Way Switch	E3034H1EBGS	2095	-	-
10AX 250V 4 Gang 2 Way Switch	E3034H2EBGS	2478	-	-
White Switches with White LED Indicator				
10AX 250V 1 Gang 1 Way Switch	E3031H1EWWW	714	E3031V1EWWW	714
10AX 250V 1 Gang 2 Way Switch	E3031H2EWWW	823	E3031V2EWWW	823
10AX 250V 2 Gang 1 Way Switch	E3032H1EWWW	1139	E3032V1EWWW	1139
10AX 250V 2 Gang 2 Way Switch	E3032H2EWWW	1318	E3032V2EWWW	1328
10AX 250V 3 Gang 1 Way Switch	E3033H1EWWW	1612	E3033V1EWWW	1612
10AX 250V 3 Gang 2 Way Switch	E3033H2EWWW	1869	E3033V2EWWW	1869
10AX 250V 4 Gang 1 Way Switch	E3034H1EWWW	2048	-	-
10AX 250V 4 Gang 2 Way Switch	E3034H2EWWW	2426	-	-
White Switches with White Fluorescent Indicator				
10AX 250V 1 Gang 1 Way Switch	E3031H1FWWW	710	E3031V1FWWW	710
10AX 250V 1 Gang 2 Way Switch	E3031H2FWWW	800	E3031V2FWWW	800
10AX 250V 2 Gang 1 Way Switch	E3032H1FWWW	1134	E3032V1FWWW	1134
10AX 250V 2 Gang 2 Way Switch	E3032H2FWWW	1323	E3032V2FWWW	1323
10AX 250V 3 Gang 1 Way Switch	E3033H1FWWW	1607	E3033V1FWWW	1607
10AX 250V 3 Gang 2 Way Switch	E3033H2FWWW	1895	E3033V2FWWW	1895
10AX 250V 4 Gang 1 Way Switch	E3034H1FWWW	2074	-	-
10AX 250V 4 Gang 2 Way Switch	E3034H2FWWW	2447	-	-

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 27th, 2020

NEO - Face the Future



E3031VBP>GS-OS



E3031VD20>EWWW-OS



E3426/10IS>GS-OS



EH3015/6>GS-OS



E3031TV>GS-OS



E3031RJ5E>WW-OS



E3031USB_GS



E3031USB_WW



E3032HDM>GS-OS



E3031EKTH>WW-OS

Description	Horizontal Dolly Reference	Unit MRP [₹]	Vertical Dolly Reference	Unit MRP [₹]
Bell Push				
4A 1 Way Horizontal Bell Push Switch	E3031HBP>GS-OS	1533	E3031HBP>WW-OS	1502
4A 1 Way Vertical Bell Push Switch	E3031VBP>GS-OS	1507	E3031VBP>WW-OS	1481
DP Switches				
1 Gang Horizontal 20A DP Switch with Blue LED for Grey Switch and White LED for White Switch	E3031HD20EBGS	1276	E3031HD20EWWW	1244
1 Gang Vertical 20A DP Switch with Blue LED for Grey Switch and White LED for White Switch	E3031VD20>EBGS-OS	1244	E3031VD20>EWWW-OS	1202
1 Gang 32A DP Rocker Switch with Blue LED for Grey Switch and White LED for White Switch	E3031DR32EBGS	1869	E3031DR32EWWW	1801
Intermediate Switch				
16AX Intermediate Switch with Blue LED for Grey Switch and White LED for White Switch	E3031VIA>EBGS-OS	2016	E3031VIA>EWWW-OS	1937
Socket				
15A 1 Gang Switch Socket Outlet Grey with Blue LED for Grey Socket and White LED for White Socket	E3015/15-EBGS-EX	2189	E3015/15-EWWW-EX	2126
10A International Socket	E3426/10IS>GS-OS	1712	E3426/10IS>WW-OS	1638
6A 1 Gang Switch Socket Outlet	EH3015/6>GS-OS	1265	EH3015/6>WW-OS	1218
6/16A 1 Gang Switch Socket Outlet	EH3015/16/6>GS-OS	1769	EH3015/16/6>WW-OS	1727
Fan Regulators & Dimmers				
1 Gang Fan Control	E3031FRGS	2048	E3031FRWW	1853
1 Gang Dimmer with Blue LED for Grey Dimmer and White LED for White Dimmer	E3031HD>EBGS-OS	12269	E3031HD>EWWW-OS	12149
2 Gang Horizontal Dimmer with Blue LED for Grey Dimmer and White LED for White Dimmer	E3032HD>EBGS-OS	21515	E3032HD>EWWW-OS	20916
Accessories				
1 Gang TV Socket Outlet	E3031TV>GS-OS	1139	E3031TV>WW-OS	1111
2 Gang TV Socket Outlet	E3032TV>GS-OS	2221	E3032TV>WW-OS	1145
4 Pin 1 Gang Telephone Outlet (CAT 3)	E3031RJ>GS-OS	1323	E3031RJ>WW-OS	1255
4 Pin 1 Gang 8 Pin Data Outlet (CAT 5E)	E3031RJ5E>GS-OS	3497	E3031RJ5E>WW-OS	3371
4 Pin 2 Gang Telephone Outlet (CAT 3)	E3032RJ>GS-OS	2363	E3032RJ>WW-OS	2221
4 Pin Telephone Outlet (CAT 3) + 8 Pin Data Outlet (CAT 5E)	E3032TD>GS-OS	4310	E3032TD>WW-OS	4169
1 x 2.1A USB Charger	E3031USB_GS	5345	E3031USB_WW	5114
25A Connection Unit	E3031TB>GS-OS	1002	E3031TB>WW-OS	960
1 Gang Blank Plate	E3030X>GS-OS	647	E3030X>WW-OS	617
2 Gang Blank Plate	ET3030X>GS-OS	1444	ET3030X>WW-OS	1391
Hotel Series				
2 Gang "Do Not Disturb" & "Please Clean Up" Combined (Horizontal)	E3032HDM>GS-OS	6652	E3032HDM>WW-OS	6447
1 Gang "Do Not Disturb" & "Please Clean Up" Combined (Vertical)	E3030VDM>GS-OS	6195	E3030VDM>WW-OS	5859
1 Gang Bell Push with "Please Clean Up" Combined (Vertical)	E3031VBP>GS-OS	5082	E3031VBP>WW-OS	4898
1 Gang Bell Push with "Do not Disturb" Combined (Vertical)	E3031VBPD>GS-OS	5082	E3031VBPD>WW-OS	4898
1 Gang Bell Push with "Do Not Disturb" & "Please Clean Up" Combined (Vertical)	E3031VBPDM>GS-OS	5082	E3031VBPDM>WW-OS	4898
Electronic Key Card Switch (Horizontal)	E3031EKTH>GS-OS	14091	E3031EKTH>WW-OS	13718
115/240V Shaver Outlet (Vertical)	ET3727V>GS-OS	7313	ET3727V>WW-OS	7172

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 27th, 2020

ULTI Impress - The Ultimate Switch



- **Super Stylish** - Single piece face plate with maximized space for plate along with soft radiant blue/amber backlight for switches
- **Multiple Finish Options** - Crystal Glass, Champagne Gold, Brushed Silver, Pearl White
- **Technological Marvel** - Mechanical switch with touch and feel of electronic switch with patented impress mechanism
- **Strength & Durability** - Ionized metal grid for back housing plate
- **Automation Alignment** - Lighting Control & Automation available in same finish



1 Gang Switch with Crystal Glass Plate



2 Gang Switch with Pearl White Plate



4 Gang Switch with Brushed Silver Plate



Bell Push with Champagne Gold Plate



6-16A Switched Socket with Crystal Glass Plate

Description	Colour	Reference	Unit MRP [₹]
Switches			
1 Gang 250V 16AX 1 Way Switch module with Blue LED	Module	U201SPM/1>B00-OS	4804
1 Gang 250V 16AX 2 Way Switch module with Blue LED	Module	U201SPM/2>B00-OS	5203
Cover Plate for 1 Gang Switch	Brushed Silver	UC21SW/P>XBS-OS	1444
	Champagne Gold	UC21SW/P>XCG-OS	1444
	Crystal Glass	UC21SW/P>XGL-OS	6200
	Pearl White	UC21SW/P>XPW-OS	1444
2 Gang 250V 16AX 1 Way Switch module with Blue LED	Module	U202SPM/1>B00-OS	6405
2 Gang 250V 16AX 2 Way Switch module with Blue LED	Module	U202SPM/2>B00-OS	7193
Cover Plate for 2 Gang Switch	Brushed Silver	UC22SW/P>XBS-OS	2058
	Champagne Gold	UC22SW/P>XCG-OS	2058
	Crystal Glass	UC22SW/P>XGL-OS	7093
	Pearl White	UC22SW/P>XPW-OS	2058
4 Gang 250V 16AX, 1 Way Switch module with Blue LED	Module	U204SPM/1>B00-OS	10889
4 Gang 250V 16AX 2 Way Switch module with Blue LED	Module	U204SPM/2>B00-OS	12269
Cover Plate for 4 Gang Switch	Brushed Silver	UC24SW/P>XBS-OS	3266
	Champagne Gold	UC24SW/P>XCG-OS	3266
	Crystal Glass	UC24SW/P>XGL-OS	8600
	Pearl White	UC24SW/P>XPW-OS	3266
Double Pole Switch			
1 Gang 250V 20A Double Pole Switch module with Blue LED	Module	U201SPM/DP>B00-OS	6405
Cover Plate for 1 Gang DP Switch	Brushed Silver	UC21DP/P>XBS-OS	2000
	Champagne Gold	UC21DP/P>XCG-OS	2000
	Crystal Glass	UC21DP/P>XGL-OS	6006
	Pearl White	UC21DP/P>XPW-OS	2000
Bell Push			
Bell Push Switch Module with Blue LED	Module	US31BPB00	2452
Cover Plate for Bell Press Switch	Brushed Silver	UC31BPXBS	1958
	Champagne Gold	UC31BPXCG	1958
	Crystal Glass	UC31BPXGL	6405
	Pearl White	UC31BPXPW	1958
Sockets			
6-16A Switched Socket	Module	US15/616000	5691
Cover Plate for 6-16A Switched Socket	Brushed Silver	UC15/616XBS	3066
	Champagne Gold	UC15/616XCG	3066
	Crystal Glass	UC15/616XGL	8001
	Pearl White	UC15/616XPW	3066
6A 2/3 Pin Switched Socket	Module	US15/6U000	4814
Cover Plate for 6A 2/3 Pin Switched Socket	Brushed Silver	UC15/6UXBS	2625
	Champagne Gold	UC15/6UXCG	2625
	Crystal Glass	UC15/6UXGL	6794
	Pearl White	UC15/6UXPW	2625
International Socket	Module	US426/16IS000	2914
Cover Plate for International Socket	Brushed Silver	UC426/16ISXBS	2048
	Champagne Gold	UC426/16ISXCG	2048
	Crystal Glass	UC426/16ISXGL	5801
	Pearl White	UC426/16ISXPW	2048

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 27th, 2020

ULTI Impress - The Ultimate Switch



Data Socket with Brushed Silver Cover Plate



Twin Data Socket with Crystal Glass Cover Plate



Keycard switch with Brushed Silver Cover Plate



Shaver Socket with Champagne Gold Cover Plate

Description	Colour	Reference	Unit MRP [₹]	
Accessories				
TV Socket Module	Module	US31TV000	2452	
	Brushed Silver	UC31TVXBS	2352	
	Champagne Gold	UC31TVXCG	2352	
Cover Plate for TV Socket	Crystal Glass	UC31TVXGL	7796	
	Pearl White	UC31TVXPW	2352	
	Data Socket Module	Module	UD31RJ000	3066
	Cover Plate for Data Socket	Brushed Silver	UDC31RJXBS	2352
Champagne Gold		UDC31RJXCG	2352	
Crystal Glass		UDC31RJXGL	7791	
Pearl White		UDC31RJXPW	2352	
Twin Data Socket Module	Module	UD32TD000	4688	
	Brushed Silver	UDC32TDXBS	2352	
	Cover Plate for Twin Data Socket	Champagne Gold	UDC32TDXCG	2352
		Crystal Glass	UDC32TDXGL	7896
		Pearl White	UDC32TDXPW	2352
Blank Module		Module	US31X000	2809
Cover Plate for Blank Module	Brushed Silver	UC31XXBS	2557	
	Champagne Gold	UC31XXCG	2557	
	Crystal Glass	UC31XXGL	5213	
	Pearl White	UC31XXPW	2557	
	USB Chargers			
1 Gang 2.1A USB Charger Module	White	US31USB_WE	3775	
	Grey	US31USB_GY	3775	
Cover Plate for 1 Gang 2.1A USB Charger	Brushed Silver	UC31USB_XBS	2520	
	Champagne Gold	UC31USB_XCG	2520	
	Crystal Glass	UC31USB_XGL	7523	
	Pearl White	UC31USB_XPW	2520	
	Hotel Series			
Keycard Switch with Cover Plate	Brushed Silver	U31EKTHBBS	11093	
	Champagne Gold	U31EKTHACG	11093	
	Crystal Glass	U31EKTHBGL	14606	
	Pearl White	U31EKTHBPW	11093	
Shaver Socket with Cover Plate	Brushed Silver	US727HXBS	9366	
	Champagne Gold	US727HXCG	9366	
	Crystal Glass	US727HXGL	13645	
	Pearl White	US727HXPW	9366	

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 27th, 2020

Kavacha - Weather Protected Series



WHT20-GY-EX



CSW110-GY-EX



A3031WBP_WE

- Pleasing looks with **IP56 protection**
- Large press switch
- Co-moulded sealing with no risk of gasket damage
- Chemical resistant & UV stabilised

Description	Reference	Unit MRP [₹]
Kavacha IP56 Surface Mount Switches		
Switches with Looping Terminal		
10A 1 Gang 2 Way Switch	CSW110-GY-EX	2015
20A/16A 1 Gang 2 Way Switch	CSW120-GY-EX	2312
10 A 2 Gang 2 Way Switch	CSW110/2-GY-EX	2742
20A/16A 1 Gang 2 Way Switch	CSW120/2-GY-EX	3071
10A 1 Gang 2 Way Bell Press Return Switch	CSW110BPR-GY-EX	2334
Switches with Looping Terminal with Neon		
10 A 1 Gang 2 Way surface switch with Looping Terminal with Neon	CSW110N-GY-EX	2294
10A 2 Gang 2 Way with Looping Terminal and Neon	CSW110/2N-GY-EX	2912
20A 1 Gang 2 Way with Looping Terminal with Neon	CSW120N-GY-EX	3513
20A/16A 2 Gang 2 Way with Looping Terminal with Neon	CSW120/2N-GY-EX	3224
Double Pole Switches		
20A 1 Gang Double Pole Switch	CSW220-GY-EX	3165
20A 2 Gang Double Pole Switch	CSW220/2-GY-EX	3308
Kavacha Heavy Duty Isolator Switches		
20A Double Pole	WHB220-RG	3489
20A Triple Pole	WHT20-GY-EX	3859
35A Triple Pole	WHT35-GY-EX	4338
55A Triple Pole	WHT55-GY-EX	4618
63A Triple Pole	WHT63-GY-EX	4942
Kavacha IP56 Surface Mount Combined Switched Socket Outlets		
Combination Switch Socket Outlets		
16A Single Pole Switched Socket Outlet	CSC316RP-GY-EX	3330
16A Single Pole Switched Socket Outlet with Neon	CSC316RPN-GY-EX	3589
Kavacha IP56 Surface Mount Socket Outlets		
16A Socket Outlet	CSO316RP-GY-EX	1971
Kavacha Full-Time Weatherproof Cover		
Full-Time Weatherproof Single Gang Socket Cover (Transparent) IP55	E223R_TR	811

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 27th, 2020

Metal Boxes



- **Weld free design** to minimize corrosion and rusting without compromising on strength
- Mounting clip and earth pin designed for **easier installation** and to **avoid loss during transportation**
- Removable side plates and optimized knock outs and for **easier wiring**
- Completely tested & validated as per **IS 14772**

Description	Reference	Unit MRP [₹]
Metal Boxes for Indian Format Ranges (Livia, Opale & ZENcelo India) NEW		
0.8 mm thickness		
Metal Box 1 & 2 modules	ME0102	89
Metal Box 3 modules	ME0103	115
Metal Box 4 modules	ME0104	132
1 mm thickness		
Metal Box 1 & 2 modules	MR1102	99
Metal Box 3 modules	MR1103	130
Metal Box 4 modules	MR1104	150
Metal Box 6 modules	MR1106	204
Metal Box 8 modules - Horizontal	MR1108	264
Metal Box 8 modules - Square	MR1109	264
Metal Box 12 module	MR1112	340
Metal Box 18 modules	MR1118	402

Description	Reference	Unit MRP [₹]
Metal Boxes for BS Format Ranges (ZENcelo BS, NEO, ULTI) - New & Improved Design NEW		
1 mm thickness		
2 GANG GI Metal Boxes	MM1102	247
3 GANG GI Metal Boxes	MM1103	350
4 GANG GI Metal Boxes	MM1104	453

- Special Metal Box with Gang Partition to accommodate BS format ranges
- Single Metal Box can accommodate up to 4 units
- Number of Gangs for Metal Box = Number of units that it can accommodate (Eg. 3 GANG Metal Box can accommodate up to 3 BS format Units)

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 27th, 2020

EzInstall 3 - ULTI ZIGBEE



Crystal Glass



Brushed Silver



Champagne Gold



Pearl White

- 2 wire design, True Retrofit
- Intelligent dimmer with Auto Load Detection feature
- Capability to dim or switch on/off different load types (in case of non dimmable loads connected to dimmer)
- Very high network scalability with Peer to Peer Mesh technology
- Each unit (switch, dimmer) is a repeater – no need for any additional repeater
- Moods created at a touch of a button
- ZigBee protocol is based on the IEEE802.15.4 standard and works on 2.4GHz radio frequency

Description	Catalogue No.	Unit MRP [₹]
1 Gang 2000VA Zigbee Switch	U201SRY2KWZB	21922
1 Gang Switch Coverplate - Brushed Silver	UC21SWXBS	1738
1 Gang Switch Coverplate - Pearl White	UC21SWXPW	1738
1 Gang Switch Coverplate - Champagne Gold	UC21SWXCG	1738
1 Gang Switch Coverplate - Crystal Glass	UC21SWXGL	8051
2 Gang 2X1000VA Zigbee Switch	U202SRY2KWZB	25275
2 Gang Switch Coverplate - Brushed Silver	UC22SWXBS	2417
2 Gang Switch Coverplate - Pearl White	UC22SWXPW	2417
2 Gang Switch Coverplate - Champagne Gold	UC22SWXCG	2417
2 Gang Switch Coverplate - Crystal Glass	UC22SWXGL	8498
1 Gang 550W Zigbee Dimming Switch	U201DST600ZB	22636
1 Gang Dimmer Coverplate - Brushed Silver	UC21DMXBS	2783
1 Gang Dimmer Coverplate - Pearl White	UC21DMXPW	2783
1 Gang Dimmer Coverplate - Champagne Gold	UC21DMXCG	2783
1 Gang Dimmer Coverplate - Crystal Glass	UC21DMXGL	8404
2 Gang 2X300W Zigbee Dimming Switch	U202DST600ZB	26241
2 Gang Dimmer Coverplate - Brushed Silver	UC22DMXBS	2783
2 Gang Dimmer Coverplate - Pearl White	UC22DMXPW	2783
2 Gang Dimmer Coverplate - Champagne Gold	UC22DMXCG	2783
2 Gang Dimmer Coverplate - Crystal Glass	UC22DMXGL	10551
1 Gang 300VA Zigbee Curtain Control Switch	U201SCN300ZB	27417
1 Gang Curtain Coverplate - Brushed Silver	UC21CNXBS	2500
1 Gang Curtain Coverplate - Pearl White	UC21CNXPW	2500
1 Gang Curtain Coverplate - Champagne Gold	UC21CNXCG	2500

Description	Catalogue No.	Unit MRP [₹]
1 Gang Curtain Coverplate - Crystal Glass	UC21CNXGL	7218
2 Gang 2X300VA Zigbee Curtain Control Switch	U202SCN600ZB	30322
2 Gang Curtain Coverplate - Brushed Silver	UC22CNXBS	2783
2 Gang Curtain Coverplate - Pearl White	UC22CNXPW	2783
2 Gang Curtain Coverplate - Champagne Gold	UC22CNXCG	2783
2 Gang Curtain Coverplate - Crystal Glass	UC22CNXGL	10551
500W ZigBee IND PlugAdaptor Dimmer Wh	U104ND500ZB_WE	22668
Zigbee Handheld Remote Controller	U105RHH001ZB	15412
2Key Zigbee Freelocate Switch, Brushed Silver	U102RWMZB_XBS	10308
2Key Zigbee Freelocate Switch, Champagne Gold	U102RWMZB_XCG	10308
2Key Zigbee Freelocate Switch, Pearl White	U102RWMZB_XPW	10308
6Key Zigbee Freelocate Switch, Brushed Silver	U106RWMZB_XBS	13932
6Key Zigbee Freelocate Switch, Champagne Gold	U106RWMZB_XCG	13932
6Key Zigbee Freelocate Switch, Crystal Glass	U106RWMZB_XGL	20090
6Key Zigbee Freelocate Switch, Pearl White	U106RWMZB_XPW	13877
Zigbee to RS232 Interface	UB3Z5	15082
Zigbee IR Gateway	U301RSDMZB	23549
Zigbee IP Gateway	U301PGWZB	24354
Zigbee Analog Module	U30010V	12417

Description	Reference	Unit MRP [₹]
1 Gang 16A Zigbee Double Pole	U301SDP16AZB	26047
1 Gang DP Cover Plate – Crystal Glass	UC21DPXGL	8639
1 Gang DP Cover Plate – Pearl White	UC21DPXPW	2726
1 Gang DP Cover Plate – Brushed Silver	UC21DPXBS	2850
1 Gang DP Cover Plate – Champagne Gold	UC21DPXCG	2478

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 27th, 2020

Hotel Series

ULTI ELV



- ULTI style, state-of-art lighting control and electrical automation scheme for hotel guest room control, offering sophisticated design
- Light touch buttons equipped with LED backlight enable guest to locate switch in a dark environment
- Comparative with Universal Input/ Output module (Room Logic Gateway -RLG) or third party guestroom control system

Description	MOQ	Reference	Unit MRP [₹]
DND/PCU Control Switch	1	US32DMRJ000	On Request
Cover Plate for DND/PCU Switch	50	UC32HDMSXCG	On Request
Cover Plate for DND/PCU Switch	1	UC32HDMSXBS	On Request
Cover Plate for DND/PCU Switch	50	UC32HDMSXGL	On Request
Cover Plate for DND/PCU Switch	1	UC32HDMSXPW	On Request
DND/PCU Indicator w/Bell Press (Blue)	1	US33DMRJ000	On Request
DND/PCU Indicator w/Bell Press (Amber)	1	US33DMRJA00	On Request
Cover Plate for DND/PCU with bell push switch	1	UC33HBPDMXCG	On Request
Cover Plate for DND/PCU with bell push switch	1	UC33HBPDMXBS	On Request
Cover Plate for DND/PCU with bell push switch	1	UC33HBPDMXGL	On Request
Cover Plate for DND/PCU with bell push switch	50	UC33HBPDMXPW	On Request
Cardkey Switch (Low Voltage)	15	U31EKTHLVACG	On Request
Cardkey Switch (Low Voltage)	15	U31EKTHLVBGL	On Request
Cardkey Switch (Low Voltage)	15	U31EKTHLVBBS	On Request
1 Gang ELV Switch (Blue)	1	U201SPM_RJ_B00	On Request
Coverplate for 1 Gang ELV switch	1	UC21SWXCG	On Request
Coverplate for 1 Gang ELV switch	1	UC21SWXBS	On Request

Description	MOQ	Reference	Unit MRP [₹]
Coverplate for 1 Gang ELV switch	1	UC21SWXGL	On Request
Coverplate for 1 Gang ELV switch	1	UC21SWXPW	On Request
2 Gang ELV Switch- BLUE	1	U202SPM_RJ_B00	On Request
Coverplate for 2 Gang ELV switch	1	UC22SWXCG	On Request
Coverplate for 2 Gang ELV switch	1	UC22SWXBS	On Request
Coverplate for 2 Gang ELV switch	1	UC22SWXGL	On Request
Coverplate for 2 Gang ELV switch	1	UC22SWXPW	On Request
4 Gang ELV Switch- BLUE	1	U204SPM_RJ_B00	On Request
Coverplate for 4 Gang ELV switch	50	UC24SW_XCG	On Request
Coverplate for 4 Gang ELV switch	50	UC24SW_XBS	On Request
Coverplate for 4 Gang ELV switch	50	UC24SW_XGL	On Request
Coverplate for 4 Gang ELV switch	50	UC24SW_XPW	On Request

Colours Available (suffix as in coverplates above)

BS	Brushed Silver
PW	Pearl White
CG	Champagne Gold
GL	Crystal Glass
GL	Crystal Glass

Neo ELV



Description	MOQ	Reference	Unit MRP [₹]
3 gang ELV switch with Amber LED	1	E3033LVEAGS	On Request
Bell Push with DND and MMR Indicator	1	E3031DMBWLVEGGS	On Request
Bell Push with DND, MMR and Butler Indicator	60	E3031DMBWLVEGGS	On Request
DND/MMR Control switch	1	E3032DMLV>EAGS-OS	On Request
Key card switch with Amber LED	60	E3031EKTHLVEAGS	On Request

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 27th, 2020

Hotel Series

Zencelo ELV



Description	MOQ	Reference	Unit MRP ₹
1 Gang Sw W/ LED Indicator	1	E8431LV	On Request
1 Gang Sw W/ LED Indicator, SZ	1	E8431LVSZ	On Request
2 Gang Sw W/ LED Indicator, SZ	1	E8432LV_SZ	On Request
3 Gang Sw W/ LED Indicator	1	E8433LV	On Request
3 Gang Sw W/ LED Indicator, SZ	1	E8433LVSZ	On Request
2 Gang Curtain Sw Open/Close, SZ	1	E8432CLVSZ	On Request
Elv Keycard Switch, SZ	50	E8431EKTLVSZ	On Request
1 Gang Sw W/ DND, SZ	1	E8431DSLVSZ	On Request
2 Gang Sw W/ DND & PCU, SZ	1	E8432DMSLVSZ	On Request
Bell Press W/ DND & PCU Indicator	1	E8431BDMLV	On Request
Bell Press W/ DND & PCU Indicator,SZ	1	E8431BDMLVSZ	On Request

Colours Available (suffix as above)

SZ Silver Bronze

No suffix after LV White Colour

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 27th, 2020

Easy Homes



Make your home smart with our Easy Homes offering. We make your homes

- Easy to operate
- Easy to maintain
- Easy to control
- Easy on pocket

A solution which blends with your existing Switches and all this without any change in Wiring.

With the Internet of Things taking over the lives, automation has made lives simpler and homes smarter.

Smart homes are the base to smart cities and a much secure lifestyle. It is a connected home technology that is designed to automate functions and grant you control over the property.

- Set the schedule, and the rest is automated and based on your personal preferences thus providing convenience, control, money savings, and an overall smarter home.
- Alerts about lights still switched on after leaving the house
- Make personalizations to the home using just an app

Once there were smart homes, now there are Easy Homes.

Smart homes are about technologies. Easy Homes evolve around people. It adds a new dimension - being Stylish, Living Well and Eco-friendly. Interlinks the electrical, multi-media and telecommunication worlds with a single and user-friendly solution - enabling you to monitor, control and access your home beyond physical boundaries at anytime, anywhere.

Features

- Integrates with any existing switch.
- Interlinks the electrical, multi-media and telecommunications worlds through Wi-Fi, providing
 - True and easy integration for devices from different brands and makes.
- The intuitive graphic user interface with jargon-free language and self-explanatory icons is easy-to-use, while the interface is consistent across different control devices and no need to spend extra time to learn different control interfaces.
- Control and access home anywhere and at any time through the secured wireless connection.
 - With time scheduling, scene control

SE Ref.	Description of reference	Unit LP [₹]
IH14000100	4 Channel Automation Relay	12786
IH101ZWIFI	Automation Gateway	35987
IH12001010	1 Channel Analog Dimmer + 1 Channel Fan Controller	15786
IH11000200	Curtain Controller	14915

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 27th, 2020

Occupancy Sensors



Description	Reference	Unit MRP [₹]
ARGUS Standard min 360° False ceiling indoor movement detector	CCT570005	4444
ARGUS Presence Dual-Tech - 2ch	CCT551012	14092
ARGUS Standard 360° False ceiling indoor movement detector - 2ch	CCT570003	6454
ARGUS Presence DALI 230V - 2 zones	CCT552006	14786
ARGUS Presence DALI 230V - Slave	CCT555006	9812
ARGUS IR Remote Controller DALI	CCT556006	8599
ARGUS IR Remote Controller HF	CCT556023	8599
ARGUS IR Remote Controller Dual-Tech	CCT556011	8599
ARGUS Presence Wide Sense - 2ch	CCT551003	12199
ARGUS IR Remote Controller Wide range PIR	SAE-UE-MS-IR-WE	3786
Argus 110 Electronic outdoor movement detector; angle of detection 110 degrees, max. range 12 mtrs, IP55 protection	MTN565119	6294
Argus 220 Electronic movement detector for outdoor ceiling mounting angle of detection 220 degrees, max. range 12 mtrs, IP55 protection	MTN565219	9711
ARGUS Presence Master with IR, DALI	MTN5510-1519	16381
Accessories		
Mounting bracket for Argus 110 and Argus 220 Sensors	MTN565291	840

Ceiling and Wall Mount Sensors

PIR and Ultrasonic Sensors /Surface Mount Sensors



Description	Reference	Unit MRP [₹]
Surface Mount Single-Load 360 degrees PIR	CSS54E_WE	3147
Flush/Surface Mount Single-Load 360 degrees PIR	SAE-UE-MS-CSAWE	3723
Flush Mount Dual load 360 degrees standalone sensor	SAE-UE-MS-CDBWE	7358
ARGUS Presence Dual-Tech PIR & Ultrasonic Sensor - 1ch	CCT551011	15575
ARGUS Presence High Frequency High Bay Sensor - 2ch	CCT551023	15575
Flush/Surface Mount Dual Load 360° PIR, 0-10V Analog Dimmable Sensor with remote	SAE-UE-MS-CDDWE	9075
Remote for standalone PIR sensor	SAE-UE-MS-1R-WE	2786

Wall Mount Sensors



Description	Reference	Unit MRP [₹]
Neo C-Metro 200 degrees wall mount sensor, grey colour	E3751MS3C_GS	4190
Neo C-Metro 90 degrees wall mount sensor, grey colour	E3751MS3A_GS	4190
Zencelo 110 degrees wall mount sensor, white colour	E84751MS3B_WE	4135
Zencelo 90 degrees wall mount sensor, white colour	E84751MS3A_WE	4135

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 27th, 2020

Control and Command Products

Digital Time Switches



- 7D, 24H Programmable switch .Voltage Rating: 230V AC +10%, -15%
- Consumption: 1 channel - max. 4VA; 2 channels - max. 7VA
- Memory: Upto 56 Switching Operations
- Back up of program & time by lithium battery: Operating reserve: 6 Years
- Overall dimensions: 5 modules
- Cable length: 100m
- Minimum time between two switching operations: 1 min

Description	Module Width 18mm/module	Reference	Unit MRP [₹]
IHP 1C w (24h/7d) programmable time switch	2.5	CCT15441	9963
IHP+ 1C (24h/7d) SMARTw programmable time switch	2.5	CCT15551	12172
IHP 2C w (24h/7d) programmable time switch	2.5	CCT15443	12726
IHP DCF (24h/7d) SMART programmable time switch	2.5	CCT15858	20482
IHP+ 2C (24h/7d) SMARTw programmable time switch	2.5	CCT15553	14354

Timers



- Switching capacity 16 A, max
- Delay range from 30 sec to 20 min
- Capacity for lighted pushbutton 150 mA
- Electric distribution busbar compatibility
- Output power capacity CCT15232-2300W
- Output power capacity CCT15223-3600W

Description	Module Width 18mm/module	Reference	Unit MRP [₹]
MINs - electronic timer - 0.5 to 20 min	1	CCT15232	5573
MINs - electronic timer - 0.5 to 20 min with switch Off Warning	1	CCT15233	7514
MINs - electronic timer - 0.5 to 20 min with switch Off Warning and Impulse relay function	1	CCT15234	7565

Twilight switch



- Includes wall mounted cell
- Adjustable brightness threshold 2 to 2000 Lux
- 2 LEDs to signal the sensor status and the output status
- Test button: To check the product and load cabling
- Switching capacity: 16Amp
- Screwless Terminals compatible with rigid and flexible wires
- Consumption 6 VA
- Size 45mm

Description	Module Width 18mm/module	Reference	Unit MRP [₹]
IC2000 outdoor (2 - 2000 lux) twilight switch	1	CCT15369	11983
Analogue indoor light sensor cell		CCT15262	6031
Wall mounted Analogue outdoor light sensor cell		CCT15263	9164
IC100 (2 - 100 lux) twilight switch	1	CCT15482	10080
IC2000 indoor (2 - 2000 lux) twilight switch	1	CCT15285	8896
IC2000p+ (2 - 2000 lux) programmable twilight switch	2.5	CCT15483	22286
IC100kp+ 1C (1 - 99000 lux) SMART programmable twilight switch	2.5	CCT15494	25684
IC100kp+ 2C (1 - 99000 lux) SMART programmable twilight switch	2.5	CCT15495	32569
IC Astro 2C SMART programmable twilight switch	2.5	CCT15245	23296
IC Astro 1C SMART programmable twilight switch	2.5	CCT15225	18314

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 27th, 2020

Analog Timers

Analog Time Switches



Description	Module Width 18mm/module	Reference	Unit MRP [₹]
IH 24H 16 A 15 mts interval 1 channel	1	15336	4590
IH 24H 16 A 30 mts interval 1 channel	1	CCT15365	5007
IH 24H + 7 day 10 A 1 channel- Max 16 On, 16 Off and 7 On + 7 Off cycles	3	15366	7704
IH 7 day 16 A 1 channel- Max 21 On and 21 Off cycles	3	CCT15367	7526
IH 24H 16 A 30 mts 1 channel without reserve	3	CCT16364	4067
IH 24H 16 A 30 mts 1 channel without reserve	3	CCT16364	4067

Thermostat

Description	Module Width 18mm/module	Reference	Unit MRP [₹]
THP1+ 1C (24h/7d) programmable thermostat	2.5	CCT15834	22288

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 27th, 2020

Life Is 

Schneider
Electric

Schneider Electric India Pvt. Ltd.

Corporate Office: 9th Floor, DLF Building No. 10, Tower C, DLF Cyber City, Phase II, Gurugram 122002 Haryana
Tel.: ++91 124 3940400 Fax: ++91 124 4222036/ 037

Ahmedabad
Schneider Electric India (P) Ltd.
1506-1507, 15th Floor Shapth-5,
SG Highway, Ahmedabad - 380015
Tel.: 079-66826701

Cochin
Schneider Electric India (P) Ltd.
41 / 406- D1,3rd Floor, Beejay
Towers,
Rajaji Road Cochin- 682035
Tel.: 0484-3048401

Ludhiana
Schneider Electric India (P) Ltd.
Office No. - 3, 5th Floor, Novelty Plaza
Bhaiwala Chowk
Ludhiana- 140001
Tel.: 0161- 4656672-75

Secunderabad
D.No. 1-8-271, # 401, Ashoka Bhoopal
Chambers, SP Road,
Secunderabad - 500003
Tel.: 04039404000
Fax.: 040-39131313

Bengaluru
Schneider Electric India (P) Ltd.
No. 3/1, JP Techno Park,
Mezzanine Floor, Millers Tank Bund
Road, Vasanth Nagar,
Bengaluru - 560052. Tel.: 080-71481351

Coimbatore
Schneider Electric India (P) Ltd.
No. -104, Classic Tower, 3rd Floor,
Trichy Road, Coimbatore- 641018
Tel.: 0422-3940400

Mumbai
Schneider Electric India (P)(Ltd)
Marwah House, 2nd Floor
Krishanlal Marwah Marg,
Andheri (East), Mumbai - 400072
Tel.: 91-22-30263300

Vadodara
605 & 606, 6th Floor Ocean Building,
Opp.Vadodara Central, Sarabhai Road,
Vadodara-390005
Tel.: 0265-3940400

Bhubaneswar:
Schneider Electric India (P) Ltd.
6th Floor, Block A, JSS Software Technol-
ogy park , E 1/1 , Chandaka Industrial
Estate, Info City , Bhubaneswar -751025
Tel.: 0674-6672000

Jaipur
Schneider Electric India (P) Ltd.
Jaipur Business Centre 309, 3rd
Floor, Sangam Tower 190, Church
Road, Jaipur-302001
Tel.: 0141-3912903

Nagpur
Schneider Electric India (P) Ltd.
Fortune Business Centre, 6,
Basant Vihar, W.H.C Road
Shankar Nagar, Nagpur- 440010
Tel.: 0712-2558581

Vishakhapatnam
Schneider Electric India (P) Ltd.
Ratnam's Business Centre,
D.N.10-1-43, 1st Floor
Siripuram Fort,C.B.M.Compound,
Visakhapatnam- 530016
Tel.: 0891 - 2508990

Chandigarh
Schneider Electric India (P) Ltd.
2nd Floor of Tower A
Bestech Business Tower
Sector-66
Mohali- 160059
Tel.: 0172-3324500

Kolkata
Schneider Electric (I)Pvt.Ltd,
BP-4, Sector-V
Technopolis
3rd floor, Salt Lake City
Kolkata- 700 091
Tel.: 033-333640100-101

Nashik:
Schneider Electric India (P) Ltd.
401, 4th Floor Rishi Raj Towers, Jehan
Circle, Gangapur Road,
Nashik- 422013
Tel: +91-7620498557

Chennai
Schneider Electric India (P) Ltd.
No:29, 2nd floor, Bannari Amman Towers,
B-Block,RK Salai, Mylapore
Chennai - 600 004
Tel.:044- 39404000

Lucknow
Schneider Electric India (P) Ltd.
1st Floor, Asha Bhawan 27 / II -A,
Gokhale Marg, Lucknow- 226001
Tel.: 0522-4006010

Pune
Schneider Electric India (P) Ltd.
1st Floor, R.B. Business Centre
Above Dass Electronics
Sanghvi Nagar, Aundh, Pune- 411007
Tel.: 020-39404000

Customer Care Centre

Monday-Saturday, 9 a.m. to 8 p.m.
Toll-free numbers: 1800 419 4272, 1800 103 0011
Email: customer-care.in@schneider-electric.com

For more information, visit our website at: www.se.com/in

- All Prices are in Indian Rupees.
- Prices are subject to change without notice.
- Prices charged will be as prevailing on the date of dispatch.
- Maximum Retail Price (MRP) is inclusive of all taxes

- Tax incidence on invoices is basis applicable GST rates. Invoice amount not to exceed MRP.
- Invoice Amount = (MRP – less Applicable discount) + Applicable GST %

Distributor